Díaz González, F. J., 1434
Dingman, D. L., 886
Dini, G. M., 516
Doğan, T., 518
Donati, V., 1573
Dowden, R. V., 148, 190, 1183
Dudziak, M. E., 1049
Duffy, D. M., 228
Duman, H., 951
Dvali, L. T., 624
Dzwierzynski, W. W., 1451

E

Eaton, A., 251
Ebihara, S., 584, 1028
Edmiston, C. E., 895 *(CME)*
Eich, B. S., II, 1075
Eichenberg, B. J., 539
El-Khatib, H. A., 571
El-Shazly, M., 235
Eladoumikdachi, F., 1430
Elejalde, M. V., 1624
Elkowitz, M., 1185
Elkwood, A., 1185
Elliot, D., 115
Elmaraghy, M. W., 1300
Emory, R. E., 221
Emsen, I. M., 1227, 1340, 1429
Eng, N., 640
Eppley, B. L., 930
Erer, M., 1435
Ergün, S. S., 1222
Eriksson, A., 991
Eriksson, E., 602
Erk, Y., 226
Eroğlu, L., 220, 954
Erol, Ö. O., 932, 1375
Ertas, N. M., 957
Evans, G. R. D., 313, 672 *(CME)*
Ezquerra, F., 1624

F

Fabrizio, T., 1573
Fagenholz, P. J., 630
Fan, J., 777
Fanous, N., 707
Fathi, M., 402
Feng, Y.-J., 1555
Ferreira, L. M., 516
Ferreira, M. C., 1630
Fisher, J., 1499
Fletcher, J. W., 1570
Fogelson, N., 1582
Foo, I. T. H., 786
Foray-Kaplon, A., 998
Fornasier, V., 225
Forootan, K. S., 402
Fox, I., 1527
Francis, I. C., 1426
Fraumeni, J. F., Jr., 755
Frey, M., 383
Friedman, D. W., 987, 1336
Fu, X., 1249
Fukui, A., 828
Fukui, M., 1501
Furlow, L. T., Jr., 550

G

Gagnon, E., 1582
Galeano, M. R., 502
Gao, Y. H., 1430
Geerling, G., 554
Genç, B., 1222
Gilhar, A., 1390
Giovanoli, P., 383
Girotto, J. A., 1507, 1520
Gittes, G. K., 630, 1049
Godek, C. P., 798
Goedkoop, A. Y., 350
Gold, L. I., 360
Goldberg, Cory S., 1
Goldfarb, S., 1014
Goldstein, M. H., 517
Goldwyn, R. M., 214, 500, 732, 941, 1206, 1415, 1421, 1440
Goolsby, C., 1011
Gosain, A. K., 360, 895 *(CME)*
Goshima, K., 590
Gottlieb, N., 653
Gradinger, G. P., 1146
Grattan-Smith, D., 16
Greenwald, J. A., 630, 852, 1049
Greer, S. E., 469
Grigenas, O., 1425
Grippaudo, F. R., 197
Groenevelt, F., 615
Grossman, A. J., 960
Grossman, J. A. I., 892
Grothaus, P. C., 125 *(CME)*
Grove, M. R., 280
Gruber, R. P., 918
Grunert, B. K., 1451
Gryskiewicz, J. M., 953
Guastella, C., 475
Guerrerosantos, J., 1212
Guerrissi, J. O., 938
Gunter, J. P., 1640
Gur, E., 25, 1215
Gurtner, G. C. *(CME)*, 672
Gürünlüoğlu, R., 518
Gutowski, K. A., 1336, 1348 *(CME)*
Guyuron, B., 429, 1417, 1612

H

Hadjipavlou, A., 1305
Hage, J. J., 350, 1090, 1346
Hallock, G. G., 741
Hamra, S. T., 454
Han, S., 738
Handler, B. S., 590
Haneda, T., 1028
Hansen, A., 504
Haramoto, U., 734
Hardesty, R. A., 539
Harii, K., 584, 1028
Harrison, D. H., 9
Haslik, W., 383
Hata, Y., 204
Hauben, D. J., 217, 510, 1216
Hayashi, O., 204
Hayashi, R., 1028
Hecikerim, S., 1079
Heil, D., 998
Heinz, T. R., 1075
Hentz, V. R., 406
Herber, S. C., 539
Hess, C. L., 1300
Hester, T. R., Jr., 458
Hettiaratchy, S., 734
Higgins, J. P., 66
Hirshberg, J., 1243
Hober, M., 755
Hoefflin, S. M., 505, 1427
Hollier, L., 922
Hollinger, J. O., 372
Hollins, R. R., 743
Horn, M. A., 763
Hoşnuter, M., 958
Hosokawa, K., 734
Hou, C.-L., 230, 955
Houin, H. P., 1014
Hsu, K.-H., 1162
Hsu, M., 1532
Huang, W., 1249
Huang, Y., 335
Hücümenoğlu, S., 957
Hudgins, R. J., 16
Hudson, D. A., 497, 665, 1218
Hudson, R., 945
Hultman, C. S., 16
Hum, H.-X., 1555
Hunt, T. K., 613
Hutchinson, O. H. Z., 687
Hutton, D., 998
Hwang, S. H., 713

I

Ichinose, M., 218
Iglesias, M., 1062
Iida, H., 584
Imai, Y., 274
Imanishi, N., 1287
Inada, Y., 828
Inagawa, K., 10, 61
Inceoğlu, F., 733
Infante, J., 948
Inoue, M., 845
Iwasaki, Y., 952
Izenberg, P. H., 1014

J

Jabaley, M. E., 1036
Jackson, S., 1425
Jaouen, R. M., 1439
Jawad, A. F., 1254
Jensen, J., 373
Jin, J., 1249
Jobe, R., 735
Johns, D. F., 150, 413 *(CME)*
Johnson, D. Y., 590
Johnson, F. E., 71, 590
Johnson, P. J., 743
Jorquera, F., 302

K

Kaan, G., 1661
Kalender, V., 1494
Kalliainen, L. K., 1243
Kandemir, B., 954
Kane, A. A., 251, 1162
Kanhai, R. C. J., 350
Kanz, K.-G., 342
Karabulut, A. B., 1494, 1652
Karacalar, A., 738, 742, 1223
Karacaoğlan, N., 220, 954
Karamürsel, S., 219, 1224
Karasoy, A., 1079
Karim, R. B., 350, 1346
Kaxira, O. S., 1312
Kayıkıoğlu, A., 219, 226, 518, 519, 868, 1212, 1224
Keçik, A., 219, 868, 1224

Kehat, I., 1390
Kenkel, J. M., 150
Kerluke, L. D., 624
Kerrigan, C. L., 280
Kesim, S. N., 1435
Khadaroo, R., 1425
Kılıç, Al., 1340
Kılıç, Ar., 1340
Kim, D. C., 1220, 1226
Kim, H. M., 1014
Kim, I. G., 713
Kim, J. B., 76
Kim, M., 769
Kim, P., 1426
Kim, P. S., 1220, 1226
Kim, S., 1399
Kim, Y.-H., 1514
Kim, Y.-O., 251
Kim, Y. S., 76
Kim, Y. W., 1399
Kimata, Y., 584, 1028
Kirschner, R. E., 423
Kishimoto, S., 1028
Kitzmiller, W. J., 1366
Kitzmiller K. W., 1366
Klein, M. B., 598
Kneeland, T. S., 280
Knize, D. M., 436
Kochi, S., 274
Koller, R., 383
Konno, N., 274
Koshima, I., 10, 61
Kosmehl, H., 554
Koutselinis, A. S., 1312
Kovanda, C. J., 1127
Kreiborg, S., 251
Kreis, R. W., 615
Kress, K. M., 816
Kroll, S. S., 313, 576, 1295
Kubo, T., 734
Kulik, J. A., 1407
Kumi, M., 102
Kuroki, T., 218
Kurtay, M., 1342
Kurul, S., 513, 1221
Kushima, H., 563

L

Lalanne, B., 1614
Lambiris, A. G., 736
Lambros, V., 489
Laoulakos, D. H., 1312
Lapid, O., 1213
Lapid-Gortzak, R., 1213
LaRossa, D., 1254
Larsen, P., 251
Larson, D. L., 895 *(CME)*
Lascaratos, J., 517
Latifoğlu, O., 1219
Latoni, J. D., 1566
Laub, D. R., 890
Lauer, I., 554
Lee, B. J., 227
Lee, H. Y., 713
Lee, K., 107
Leung, J. K. W., 47
Levan, P., 1614
Levin, D. E., 1326
Levinson, H., 1532
Lew, J. M.L, 713
Li, Jia., 1249
Li, Jin., 1249
Li, S., 1249
Li, Y., 1249
Lille, S., 327
Lin, K. Y., 98
Linburg, R. M., 1570
Linderman, R., 512
Lineaweaver, W., 1428
Little, J. W., 944, 1655
Liu, P., 805
Liu, W., 1532
Liu, Y., 1249
Liu, Z.-F., 1555
Lo, L.-J., 1162
Longaker, M. T., 360, 469, 630, 852, 1049, 1072, 1532
Lopez, R., 302
Losee, J. E., 1004
Losken, A., 1636
Love, E. J., 413 *(CME)*
Love, R. L., 1069
Lowery, J. C., 769, 1014
Lucas, A. R., 998
Lucas, R., 302
Lugowski, S., 225
Lundborg, G., 1046

M

Macionis, V., 1321
Macone, A., 197
Maeda, C. Y., 360
Maghari, A., 402
Mahoney, J. L., 624
Maiwald, G., 235
Malafa, M. P., 514
Malaisrie, S. C., 1520
Maloney, C., 1214
Man, D., 947
Manafi, A., 402
Manavbaşı, I., 518, 519
Manktelow, R. T., 1
Manson, P. N., 119, 1520
Manstein, C. H., 653
Manstein, G., 653
Manstein, M. E., 653
Mantovani, M., 475
Marchant, B., 1243
Marler, J., 1547
Marsh, J. L., 251
Marshall, D. M., 805, 1566
Martin, B., 221
Martin, D., 1436
Maruyama, Y., 111
Masaki, F., 102
Mass, D. P., 1036
Massimo, A. F., 736
Matarasso, A., 469, 687, 961, 1185, 1197, 1619
Matarese, R. M., 197
Matheney, T. H., 280
Matloub, H. S., 1451
Matsuo, K., 563
Mavili, M. E., 393
Maxson, R., 639
May, J. W., Jr., 1273
Mazzocchi, M., 197
Mazzola, R. F., 475
McCall, T. E., 657
McKinney, P., 906, 944
McLaughlin, J. K., 755
McWilliams, B. J., 1254
Meek, M. F., 1227
Mehrara, B. J., 360, 630, 852, 1049, 1336
Mehta, R., 1658
Meley, M., 1656
Mendez-Fernandez, M. A., 645
Meneses, P. G., 1127
Meuli-Simmen, C., 383
Meyer, V. E., 383
Michelow, B. J., 429
Middelkoop, E., 615
Miller, M. J., 313
Milner, S., 327
Mimoun, M., 1614
Mine, R., 1501
Mitlböck, M., 383
Mizunuma, M., 845
Mladick, R. A., 208, 719, 739
Mohan, D., 229
Mokal, N., 1658
Molteni, A., 1011
Moncur, M. M., 280
Monstrey, S. J., 1295
Moran, S., 66, 1527
Moriguchi, T., 10, 61
Morris, R. F., 1220
Morselli, P. G., 1156
Mosca, P., 840
Moscona, R. A., 289
Mowlavi. A., 327, 514, 1664
Mu, L., 1249
Mukerji, S., 1221
Muñoz Guerra, M. F., 1434
Muzaffar, A. R., 1640

N

Nahas, F. X., 1220
Nakai, K., 734
Nakajima, H., 1287
Nakatsuka, T., 584, 1028
Nasır, S., 868
Nathan, C. R., 400
Naumann, A., 511
Nava, M., 1573
Naval Gías, L., 1434
Németh, Á., 1577
Nery, J. R., 805
Netscher, D., 1430, 1437
Neu, B. R., 160, 171
Neumeister, M. W., 1664
Nevarre, D. R., 231, 1214
Nguyen, D. B., 98
Nicolau, P., 1614
Nishida, M., 845
Nishimura, G., 1501
Nomatsi, T., 1651
Noordhoff, M. S., 1162
Nordzell, B., 1466
Nozaki, M., 881
Numanoğlu, A., 518
Nyárády, Z., 1577
Nyrén, O., 755
Nyska, M., 512

O

Oberlin, C., 874
O'Boyle, C., 232
Oh, S. J., 76
Ohara, H., 204
Ohtsuki, M., 10
Ohyma, W., 1028
Okada, E., 111
Olasz, L., 1577
Olivier, W. A., 1336

Omiya, Y., 1651
Omokawa, S., 828
Orenstein, H. H., 1348 *(CME)*
Organek, A., 509
Orlando, G. S., 66, 321
Özcan, M., 738, 1494
Özçelik, D., 1079
Özdengil, E., 1227, 1340, 1429
Özkan, A. Ç., 1435

P

Page, D. A., 1366
Pallua, N., 823
Pang, C. Y., 624
Pantaloni, M., 1547
Papakonstantinou, K. C., 1097 *(CME)*
Papay, F. A., 998
Park, C., 259, 1473
Park, H. J., 1399
Park, S., 81, 952
Passmore, A. K., 1127
Patel, W., 539
Patipa, M., 438
Peled, I. J., 289, 737, 960, 1390
Pelissier, P., 1436
Peltomäki, T., 1657
Pennington, D., 107
Pennock, P., 624
Pensler, J. M., 1011
Persing, J. A., 1175
Persson, I., 755
Pessa, J. E., 460, 479
Peters, W., 225
Petras, S., 1541
Pfadenhauer, A., 342
Pflugfelder, S. C., 561
Phillips, L. G., 1305
Pierangeli, M., 507
Pilgram, T. K., 251
Pokorny, J. J., 71
Polednak, A. P., 298
Pomahac, B., 602
Pope, A. W., 1459
Porter, B., 1206
Porvasnik, S., 1541
Posnick, J. C., 892
Powell, B., 503, 734
Prakash, V., 233

Q

Quatra, F., 502

R

Rab, M., 383
Radke, L., 895 *(CME)*
Ragoowansi, R., 503
Rai, S. M., 886
Ramirez, O. M., 176, 1653
Ramon, Y., 289, 1390
Randall, P., 1254
Rankin, M., 1185
Reagan, B., 1388
Reagan, D. S., 648
Reagan, J. M., 648
Redett, R. J., 1507
Reece, G. P., 313
Rees, R. S., 1243
Regalado, J., 1624
Regev, D., 217
Remmler, D., 849
Rice, D., 862
Riski, J. E., 16, 539
Robb, G. L., 313
Roberts, T. L., III, 1142
Robertson, B. C., 1507
Robinson, P. H., 1227
Robles, J. A., 1062
Rockwell, W. B., 1592 *(CME)*
Rodríguez Campo, F., 1434
Roeser, R. J., 150
Roh, T. S., 76
Rohrich, R. J., 137, 150, 266, 413 *(CME)*, 427, 503, 685, 903, 954, 1125, 1206, 1363, 1388, 1605, 1640
Roland, P. S., 154
Ronan, S. J., 878
Rosenberg, G. J., 721, 1429
Rosenberg, L., 1213
Roth, M. Z., 657
Roth, R. S., 1014
Rowan, S., 507
Ruberg, R. L., 296
Rubin, A., 1427
Ruger, B. M., 529
Ruiz de Erenchun, R., 947
Rusch, M. D., 1451
Russell, R. C., 1664
Ryan, R. F., 1211
Rygnestad, T., 728
Ryuuichi, M., 102

S

Saadeh, P. B., 630, 852, 1049
Saar, J. D., 125 *(CME)*
Sabapathy, R., 229
Saboeiro, A. P., 71
Sagiv, P., 512
Saikawa, M., 1028
Sainz-Arregui, J., 1624
Saitou, C., 274
Sakuraba, M., 584
Sakurai, H., 881
Salgado, C. J., 321
Salomon, J., 1276
Samdal, F., 728
Samper, A., 947, 1440
Sanger, J. R., 1451
Sanghavi, J., 1011
Sasaki, K., 881
Savaci, N., 958
Sawada, Y., 36
Scalise, A., 507
Scheufler, O., 1660
Scholten, E., 737
Schulman, N. H., 200
Schweiberer, L., 660
Schwenk, D., 1656
Scuderi, N., 197
Seckel, B. R., 1127
Seifert, L., 936
Sengezer, M., 951
Senior, M. A., 224
Seno, H., 845
Serletti, J. M., 66, 321, 1004, 1527
Seul, J.-H., 1514
Seveviratne, S., 223
Seyfer, A. E., 1582
Shabat, S., 512
Shafir, R., 1215
Shaheen, K. W., 1014
Sharma, S., 1072, 1426
Sharony, Z., 289
Sharpe, D. T., 786, 792
Shehadi, S. I., 71
Shelby, D., 1407
Shenaq, S., 373
Shestak, K. C., 1205
Shetty, K. P., 1658
Shiffman, M. A., 505, 1659
Shoshani, O., 1390
Shupak, A., 1390
Sieg, P., 554
Siegel, R. J., 735
Siemionow, M., 1541
Silfen, R., 217, 510, 1216
Silver, L., 516
Silverman, B. L., 1011
Simms, C., 16
Singer, L. J., 1366
Singer, M. I., 1326
Singer, R., 695
Singh, S. B., 229
Skoff, H. D., 231
Skoll, P. J., 1218, 1660
Slama, J., 602
Slooff, A. C. J., 978
Smith, D., 225
Smith, L. P., 852
Smoot, E. C., 954
Snyder, N., 1305
Solot, C., 1254
Song, L., 360
Sönmez, A., 518
Soo, C., 236
Sood, M. K., 115
Spangenberger, A., 1547
Spear, S. L., 1009, 1300, 1639
Speck, G., 1011
Spector, J. A., 630, 852
Spiegel, J. H., 1326
Spiliopoulou, C. A., 1312
Spira, M., 373, 950
Stal, S., 922
Staudenmaier, R., 511
Steinbrech, D. S., 630, 852, 1049, 1532
Stern, A., 512
Stern, H., 107
Stock, W., 342
Stoico, S., 1206
Stussi, J.-D., 1656
Stützle, H., 342
Stuzin, J. M., 1373
Sultana, R., 563
Summers, A. N., 895 *(CME)*
Sun, G.-C., 1555
Svensjö, T., 602
Swier, P., 119

T

Tajima, S., 1651
Takagi, S., 734
Takehiro, D., 102
Takeuchi, M., 881
Talbi, M., 1656
Tamai, S., 828
Tan, S. T., 529
Tark, K.-C., 87
Taylor, W. G., 234
Tebbetts, J. B., 139
Teimourian, B., 840
Terzis, J. K., 1097 *(CME)*
Thaller, S. R., 805
Thoma, A., 1425
Thomas, T., 429

Tiwari, P., 1072
Tosteson, A. N. A., 280
Tosun, Z., 958
Touam, C., 874
Towpik, E., 1586
Tran, N. V., 313
Troilius, C., 1653
Tsetsonis, C. H., 1312
Tsutsumi, S., 845
Tümerdem, B., 1652
Tzakis, A. G., 805

U

Uchiyama, K., 584, 1028
Ueda, K., 1651
Ueki, M., 204
Ugurlu, K., 1079
Uhas, K., 16
Ullmann, Y., 289, 1390
Umeda, T., 204
Unwin, D. H., 435
Urushibara, K., 10
Urushidate, S., 36

V

Van Beek, A. L., 1359
van der Werff, J. F. A., 1227
Van Landuyt, K. H., 1295
Van Thienen, C. E., 222
van Trier, A. J. M., 615
van Zuijlen, P. P. M., 615
Vander Kolk, C. A., 119
VanderKam, V. M., 1608
Vandeweyer, E., 56
Vargas-Vorackova, F., 1062
Varghai, A., 429
Vasconez, L. O., 1647
Vaughan, T., 1507
Vegter, F., 1090
Velickovic, M., 529
Veltri, K., 1425
Vendittelli, B. L., 1657
Venkatramani, H., 229
Verhulst, S., 327
Versteege, C. W. M., 978
Verstraete, K., 1295
Virgo, K. S., 71, 590
Visscher, M., 1366
Vloemans, J. F. P. M., 615
Voigtlaender, D., 280
von Domarus, H., 554
Voros, D., 517

W

Wagner, J. D., 515
Wallach, S. G., 1217
Wamsley, S., 373
Wang, H.-J., 834
Warnecke, K., 554
Waugh, J. M., 373
Weber, R. A., 1036
Weinfeld, A. B., 373
Weinzweig, J., 798, 1547, 1570
Wendt, J. R., 210
White, T., 1127
Wicket, R. R., 1366
Widgerow, A. D., 155
Widmann, J., 342
Wilhelmi, B. J., 1305
Wilkins, E. G., 769, 1014
Williams, R. M., 98
Wilson, A. M., 1488
Wingate, G. F., 1220, 1226
Wolfe, S. A., 1566, 1642
Wolfort, F. G., 1214
Wong, C. S. F., 740

X

Xu, J., 1249

Y

Yajima, H., 828
Yamada, A., 274
Yamamoto, M., 61
Yamashita, K., 36
Yan, Y.-P., 1555
Yanai, A., 845
Yang, K.-C., 47
Yang, M., 1249
Yao, F., 602
Yaremchuk, M. J., 697
Yavuzer, R., 1219
Yenidünya, M. O., 1227, 1429
Yeste, L., 947
Yetman, R. J., 998
Yıldırım, S., 1661, 1662
Yokoi, K., 36
Yoshida, H., 845
Yoshimoto, S., 218
Yoskovitch, A., 707
Yotsuyanagi, T., 36
Young, J. E. M., 1425
Young, V. L., 59
Yu, P., 360
Yu, Z., 335
Yugueros, P., 504
Yuksel, E., 373
Yuzuriha, S., 563

Z

Zadoo, V. P., 460
Zandi, I., 219
Zbar, R. I. S., 886
Zhai, H., 1249
Zhang, F., 1326
Zhang, H.-M., 1555
Zhao, Z., 1249
Zienowicz, R. J., 1547
Zimmerman, G. J., 539
Zins, J. E., 998
Zonneveld, F., 251
Zook, E. G., 327
Zubowski, R., 998
Zuker, R. M., 1, 25

Subject Index to Volume 106

A

Abdomen
abdominal dermolipectomies: early postoperative complications and long-term unfavorable results (Chaouat et al.), 1614. Discussion by Matarasso, 1619
abdominal sensibility after TRAM flap breast reconstruction (Spear et al.), 1300
abdominal tissue expansion aids in placement of baclofen pump and other implantation devices *(Letters)*, 1437
abdominal wall closure after intestinal transplantation (Alexandrides et al.), 805
buried penis release in adults with suction lipectomy and abdominoplasty (Adham et al.), 840
facial palsy after abdominal liposuction *(Letters)*, 945
how to deal with the umbilical stalk during abdominoplasty *(Letters)*, 1220
liposuction as adjunct to full abdominoplasty revisited (Matarasso), 1197. Discussion by Baroudi, 1203. Discussion by Shestak, 1205
massive localized lymphedema of suprapubic origin *(Letters)*, 1663
recurrent ventral herniation in Ehlers-Danlos syndrome (Girotto et al.), 1520
Achilles tendon, tensor fasciae latae perforator flap for reconstruction of composite Achilles tendon defects with skin and vascularized fascia (Deiler et al.), 342
Adipose tissue. *See also* Fat; Liposuction
augmentation of adipofascial flaps using long-term local delivery of insulin and insulin-like growth factor-1 (Yuksel et al.), 373
deep inferior epigastric perforator dermal-fat or adiposal flap for correction of craniofacial contour deformities (Koshima et al.), 10
effects of traditional and ultrasonic liposuction on (Grippaudo et al.), 197
new microsurgical breast reconstruction using free paraumbilical perforator adiposal flaps (Koshima et al.), 61
Aesthetic subunits
nasal reconstruction based on aesthetic subunits in Orientals (Yotsuyanagi et al.), 36. Discussion by Burget, 45
simple method for forehead unit reconstruction (Okada and Maruyama), 111
Age and aging
algorithm of facial aging (Pessa), 479. Discussion by Lambros, 489
biological arches and changes to curvilinear form of aging maxilla (Zadoo and Pessa), 460. Discussion by Bartlett, 467
facial autologous soft-tissue contouring by adjunction of tissue cocktail injection (Erol), 1375. Discussion by Rohrich and Reagan, 1388
factors affecting outcome in free-tissue transfer in elderly (Serletti et al.), 66
surgical treatment of senile upper lip (Guerrissi), 938
Allergy, post-laser hypersensitivity and atopic patient (Widgerow and Braun), 155
AlloDerm lip augmentation *(Letters)*, 953
American Society of Maxillofacial Surgeons, maxillofacial: what's in a name? (Borah), 1418
Amputation
bilateral leg: crossover replantation and fillet flap coverage of stump after ectopic implantation (Kayıkçıoğlu et al.), 868
emergency cross-arm transfer (Reagan and Reagan), 648
of middle ray in primary treatment of severe injuries of central hand (Sood and Elliot), 115
replantation of great and second toes *(Letters)*, 229
Anastomosis
replanted scalp recovers normal sensation without nerve anastomosis *(Letters)*, 1651
use of vascular closure staple clip applier for microvascular anastomosis in free-flap surgery (Cope et al.), 107
Anatomy
angular branch of the thoracodorsal artery and its blood supply to the inferior angle of the scapula *(Letters)*, 223
bipedicle paraspinous muscle flaps for spinal wound closure (Wilhelmi et al.), 1305
course of inferior alveolar nerve in normal human mandibular ramus and in patients presenting for cosmetic reduction of mandibular angles (Kane et al.), 1162. Discussion by Persing, 1175
extensor tendon: anatomy, injury, and reconstruction *(CME)* (Rockwell et al.), 1592
inferiorly based gastrocnemius muscle flap (Tsetsonis et al.), 1312
radiographic and aerodynamic measures of velopharyngeal anatomy and function following Furlow Z-plasty (D'Antonio et al.), 539. Discussion by Furlow, 550
venous drainage architecture of forearm skin and subcutaneous tissue (Imanishi et al.), 1287
Anesthesia, use of one-finger glove for rat anesthesia *(Letters)*, 518
Angiogenesis, in primary tumor cells of metastatic and nonmetastatic malignant melanoma *(Letters)*, 514
Animal bites
dog bites in New York City (Borud and Friedman), 987
a wound after contact between a child and a dog does not necessarily mean an animal bite *(Letters)*, 1227
Animal studies. *See* Experimental studies
Ankle. *See* Foot and ankle
Anthropometry, and canons of the face in historical perspective (Vegter and Hage), 1090
Antigens, silicone gel implant capsules and *Chlamydia* antigens *(Letters)*, 225
Areola. *See* Nipple-areola complex
Arteries
angular branch of the thoracodorsal artery and its blood supply to the inferior angle of the scapula *(Letters)*, 223
breast reconstruction with internal mammary artery pedicled fasciocutaneous island flap (Kalender et al.), 1494. Discussion by Fisher, 1499
development of distally based radial forearm flap in hand reconstruction with preservation of radial artery *(Letters)*, 955
medial plantar flap based distally on lateral plantar artery to cover forefoot skin defect (Oberlin et al.), 874
muscle-splitting approach to superior and inferior gluteal vessels (Park), 81

repair of pharyngocutaneous fistula with fasciocutaneous island flap pedicled on superficial temporalis artery (Fabrizio et al.), 1573
treatment of finger avulsion injuries with innervated arterialized venous flaps (Takeuchi et al.), 881
Arteriovenous malformations
of face and scalp, histologic change after free flap transfer (Tark and Chung), 87
of persistent median artery with bifurcated median nerve (Gutowski et al.), 1336
Arthritis
flexor tendinitis and median nerve compression caused by gout in patient with rheumatoid arthritis (Weinzweig et al.), 1570
resurfacing arthroplasty for metacarpophalangeal joint osteoarthritis *(Letters)*, 1430
Arthrogryposis, use of latissimus dorsi muscle to restore elbow flexion in (Gagnon et al.), 1582
Asians. *See* Oriental persons
Asymmetry
combined use of flaps based on subscapular vascular system for unilateral facial deformities (Ugurlu et al.), 1079
deep inferior epigastric perforator dermal-fat or adiposal flap for correction of craniofacial contour deformities (Koshima et al.), 10
Atopic patients, post-laser hypersensitivity and (Widgerow and Braun), 155
Auricular graft, use as internal splint in facially scarred burn patients *(Letters)*, 742
Avulsion injuries
polyurethane film (OpSite) for superficial fingertip avulsion injuries *(Letters)*, 512
treatment of finger avulsion injuries with innervated arterialized venous flaps (Takeuchi et al.), 881
Axilla
latissimus dorsi myocutaneous flap reconstruction of neck and axillary burn contractures *(Letters)*, 1216
simple technique for immobilization for grafting *(Letters)*, 740

B

Baclofen pump, abdominal tissue expansion aids in placement of implantation devices *(Letters)*, 1437
Basal cell carcinoma
giant: T3 tumors without metastasis (Manstein et al.), 653
sideburn reconstruction with arterial V-Y hair-bearing scalp flap after excision of (Davis), 94
Beds, hospital-acquired pressure ulcers *(Letters)*, 945
Bicycle spoke injuries, in lower extremity (Mine et al.), 1501
Biochemistry, effects of traditional and ultrasonic liposuction on adipose tissue (Grippaudo et al.), 197
Biomaterials
AlloDerm lip augmentation *(Letters)*, 953
FDA approves saline-filled breast implants (Rohrich), 903
graft survival and effectiveness of dermal substitution in burns and reconstructive surgery in one-stage grafting model (van Zuijlen et al.), 615
lid loading with gold for upper lid paralysis *(Letters)*, 735
long-term complications of facial injections with Restylane (injectable hyaluronic acid) *(Letters)*, 1215
mandibular matrix implant system to restore skeletal support to lower face (Ramirez), 176
osteochondral reconstruction of non–weight-bearing joint using high-density porous polyethylene implant (Weinzweig et al.), 1547
polyglycolic acid conduits for digital nerve reconstruction (Weber et al.), 1036. Discussion by Lundborg, 1046
polyurethane film (OpSite) for superficial fingertip avulsion injuries *(Letters)*, 512
silicone gel implant capsules and *Chlamydia* antigens *(Letters)*, 225
tissue adhesives *(Letters)*, 1226
use of resorbable spacers for nasal spreader grafts (Stal and Hollier), 922. Discussion by Byrd, 929. Discussion by Eppley, 930
Biopsy
lymphatic mapping and sentinel lymph node basin after sentinel lymph node biopsy for melanoma *(Letters)*, 515
lymphatic mapping and sentinel lymph node biopsy in patients with melanoma of lower extremity *(Letters)*, 734
Bipedicle paraspinous muscle flaps, for spinal wound closure (Wilhelmi et al.), 1305
Black patients, racial distribution of Dupuytren's disease in Department of Veterans Affairs patients (Saboeiro et al.), 71
Bleeding, paraspinous muscle hemorrhage as potential source of liposuction mortality *(Letters)*, 740
Blepharoplasty. *See also* Eyelids
laser blepharoplasty with transconjunctival orbicularis muscle/septum tightening and periocular skin resurfacing (Seckel et al.), 1127. Discussion by Roberts, 1142
temporary tarsorrhaphy suture to prevent or treat scleral show and ectropion secondary to laser resurfacing or laser blepharoplasty (Rosenberg), 721. Discussion by Codner, 726
unsatisfactory, secondary correction of (Kim et al.), 1399. Discussion by Carraway, 1405
Blood flow
improved perfusion after subcritical ischemia in muscle flaps treated with vascular endothelial growth factor (Banbury et al.), 1541
ischemia-reperfusion injury: multicellular phenomenon *(Letters)*, 1664
salvage of TRAM flaps with compromised venous outflow (Caplin et al.), 400
venous congestion and blood flow in free TRAM and deep inferior epigastric perforator flaps (Blondeel et al.), 1295
Bone. *See also* Fractures
biological arches and changes to curvilinear form of aging maxilla (Zadoo and Pessa), 460. Discussion by Bartlett, 467
customization of bone anchors *(Letters)*, 231
effects of ionizing radiation of osteoblast-like cells in vitro (Dudziak et al.), 1049
immature vs. mature dura mater: differential expression of genes important to calvarial reossification (Greenwald et al.), 630. Discussion by Maxson, 639
late reconstruction of two total metacarpal bone defects using lengthening devices and double-barrel osteocutaneous free parascapular flap (Masaki et al.), 102
osteogenesis in cranial defects: concept of critical size and expression of TGF-β isoforms (Gosain et al.), 360. Discussion by Hollinger, 372
preservation of digital osteotendinous structure with omental flap (Iglesias et al.), 1062
quantification of osseous facial dysmorphology in untreated unilateral coronal synostosis (Kane et al.), 251
soft-tissue reconstruction following debridement for chronic osteomyelitis of lower limb *(Letters)*, 503
treatment of sternal nonunion with Dall-Miles cable system (Eich and Heinz), 1075
Bone grafts
combined conchal cartilage-ethmoid bone grafts in nasal surgery (Neu), 171
segmental bone and cartilage reconstruction of major nasal dorsal defects (Neu), 160
Boomerang flap, in managing injuries of dorsum of distal phalanx (Chen et al.), 834
Botulinum toxin A, and management of pectoral spasm after subpectoral implant insertion *(Letters)*, 224
Brachial plexus injury
outcome of Erb's palsy when decision to operate is made at 4 months of age (Al-Qattan), 1461

predictive value of computed tomographic myelography in obstetrical brachial plexus palsy (Chow et al.), 971. Discussion by Slooff and Versteege, 978
restoration of elbow flexion after: role of nerve and muscle transfers *(CME)* (Gutowski and Orenstein), 1348. Discussion by Van Beek, 1359
surgical treatment in adults (Terzis and Papakonstantinou), 1097 *(CME)*

Breast
breast infarction after plastic surgery in patient with previous open heart surgery (Mendez-Fernandez), 645
classification of inverted nipples *(Letters)*, 737
complete absence of (Lin et al.), 98
diffuse microscopic intransit metastases from malignant melanoma of *(Letters)*, 513
evaluating breast parenchymal maldistribution with regard to mastopexy and augmentation mammaplasty (Brink), 491
everting the nipple *(Letters)*, 736
management of hyperkeratosis of areola *(Letters)*, 736
measuring health state preferences in women with breast hypertrophy (Kerrigan et al.), 280
symptomatic macromastia in patient with Poland syndrome *(Letters)*, 221

Breast cancer
coincidental detection in reduction mammaplasty specimens *(Letters)*, 1219
following breast reduction surgery in Sweden (Boice et al.), 755

Breast implants. *See also* Mammaplasty, augmentation
Botox and the management of pectoral spasm after subpectoral implant insertion *(Letters)*, 224
controlled trial of textured vs. smooth subglandular silicone gel implants (Collis et al.), 786
effect of Betadine on silicone implants *(Letters)*, 1665
FDA approves saline-filled breast implants (Rohrich), 903
patient acceptance of adequately filled breast implants using tilt test (Tebbetts), 139. Discussion by Dowden, 148
radiation therapy after immediate breast reconstruction with implants (Vandeweyer and Deraemaecker), 56. Discussion by Young, 59
recurrence of subglandular breast implant capsular contracture: anterior vs. total capsulectomy (Collis and Sharpe), 792
silicone gel implant capsules and *Chlamydia* antigens *(Letters)*, 225
warning about anatomical breast implants *(Letters)*, 740

Breast reconstruction
abdominal sensibility after TRAM flap breast reconstruction (Spear et al.), 1300
fat necrosis in free transverse rectus abdominis myocutaneous and deep inferior epigastric perforator flaps (Kroll), 576
formula for surgical modifications of breast (Brown et al.), 1342
geographic variation in postmastectomy rates of (Polednak), 298
immediate free TRAM reconstruction in lumpectomy and radiation failure patients (Moran et al.), 1527
immediate TRAM flap, zoster following *(Letters)*, 1218
with internal mammary artery pedicled fasciocutaneous island flap (Kalender et al.), 1494. Discussion by Fisher, 1499
modified autogenous latissimus breast reconstruction and box top nipple (Horn et al.), 763
new microsurgical breast reconstruction using free paraumbilical perforator adiposal flaps (Koshima et al.), 61
postmastectomy, determinants of patient satisfaction in (Alderman et al.), 769
postoperative adjuvant irradiation: effects on transverse rectus abdominis muscle flap breast reconstruction (Tran et al.), 313. Discussion by Bostwick, 318
psychosocial outcome (Wilkins et al.), 1014. Discussion by Cunningham, 1026
radiation therapy after immediate breast reconstruction with implants (Vandeweyer and Deraemaecker), 56. Discussion by Young, 59
refinements in TRAM flap breast reconstruction: projection and contour improvements (Charanek et al.), 1262. Discussion by May, 1273
salvage of TRAM flaps with compromised venous outflow (Caplin et al.), 400
sensitivity of breasts reconstructed with autologous latissimus dorsi flap (Delay et al.), 302. Discussion by Dellon, 310
TRAM delay by embolization of deep inferior epigastric arteries *(Letters)*, 1660
venous congestion and blood flow in free TRAM and deep inferior epigastric perforator flaps (Blondeel et al.), 1295

Brow. *See* Forehead and brow

Burns
acute squamous cell carcinoma arising within recent burn scar (Love and Breidahl), 1069
criss-cross scoring of postburn necrotic tissue *(Letters)*, 510
graft survival and effectiveness of dermal substitution in burns and reconstructive surgery in one-stage grafting model (van Zuijlen et al.), 615
latissimus dorsi myocutaneous flap reconstruction of neck and axillary burn contractures *(Letters)*, 1216
new concept for the management of postburn contractures *(Letters)*, 233
reducing hazard of burns from bovie pads *(Letters)*, 947
rice cooker steam hand burn in the pediatric patient (Roh et al.), 76
use of composite auricular graft as internal splint in facially scarred burn patients *(Letters)*, 742
use of stoma bag in patient with buttock burn *(Letters)*, 1222

C

Calvarium. *See also* Skull
immature vs. mature dura mater: differential expression of genes important to calvarial reossification (Greenwald et al.), 630. Discussion by Maxson, 639

Cardiac patients
breast infarction after plastic surgery in patient with previous open heart surgery (Mendez-Fernandez), 645
management of hand and upper-extremity infections in heart transplant recipients (Klein and Chang), 598

Cartilage
combined conchal cartilage-ethmoid bone grafts in nasal surgery (Neu), 171
in situ split costal cartilage graft harvesting through small incision using gouge (Abğaoğlu and Erol), 932. Discussion by Seifert, 936
segmental bone and cartilage reconstruction of major nasal dorsal defects (Neu), 160
tumbling concha-cartilage flap for correction of lop ear (Park), 259

Cellular signaling, by tyrosine phosphorylation in keloid and normal human dermal fibroblasts (Chin et al.), 1532

Cervical spine, Chiari malformation, cervical spine anomalies, and neurologic deficits in velocardiofacial syndrome (Hultman et al.), 16

Cervicoplasty, anterior, in male patient (Gradinger), 1146. Discussion by Biggs, 1155

Chiari malformation, with cervical spine anomalies and neurologic deficits in velocardiofacial syndrome (Hultman et al.), 16

Children. *See* Pediatric patients

Chin. *See also* Mandible
mandibular augmentation (Yaremchuk), 697
mandibular matrix implant system to restore skeletal support to lower face (Ramirez), 176

Chlamydia antigens, silicone gel implant capsules and *(Letters)*, 225

Circumcision, rare complication of: concealed penis *(Letters)*, 1662
Clamp delay, effective new method of nonsurgical delay (Macionis), 1321
Cleft lip/palate
creating long-term benefits in cleft lip and palate volunteer missions *(Letters)*, 516, 517
establishing cleft malformation surgery in developing nations (Zbar et al.), 886. Discussion by Laub, 890
lip scars camouflaged using microhair transplantation on male patients (Kılıç et al.), 1340
optimal timing of cleft palate closure *(CME)* (Rohrich et al.), 413. Discussion by Kirschner and Bartlett, 423
palatal length in cleft palate as predictor of speech outcome (Randall et al.), 1254. Discussion by Cutting, 1260
primary correction of unilateral cleft nasal deformity (Byrd and Salomon), 1276
radiographic and aerodynamic measures of velopharyngeal anatomy and function following Furlow Z-plasty (D'Antonio et al.), 539. Discussion by Furlow, 550
second-language acquisition following pharyngeal flap surgery in non–English-speaking immigrants (Borud et al.), 640
secondary, formation of philtral column using vertical interdigitation of orbicularis oris muscle flaps (Cho and Baik), 980
Cold injury, free flap coverage of bilateral frostbite of feet (Classen), 1316
Collateral ligament injuries of thumb metacarpophalangeal joint (McCall and Roth), 657
Complications
abdominal dermolipectomies: early postoperative complications and long-term unfavorable results (Chaouat et al.), 1614. Discussion by Matarasso, 1619
anterolateral thigh flap donor-site complications and morbidity (Kimata et al.), 584
Botox and the management of pectoral spasm after subpectoral implant insertion *(Letters)*, 224
controlled trial of textured vs. smooth subglandular silicone gel breast implants (Collis et al.), 786
deaths associated with liposuction *(Letters)*, 1211
dog-ear formation: three-dimensional analysis of skin surgery techniques (Mizunuma et al.), 845. Discussion by Remmler, 849
evaluation and management of lower eyelid retraction following cosmetic surgery (Patipa), 438. Discussion by Hamra, 454. Discussion by Hester, 458
facial palsy after abdominal liposuction *(Letters)*, 945
and functional results after total glossectomy with microvascular reconstruction (Kimata et al.), 1028
hospital-acquired pressure ulcers *(Letters)*, 945
long-term complications of facial injections with Restylane (injectable hyaluronic acid) *(Letters)*, 1215
nasal fracture management: minimizing secondary nasal deformities (Rohrich and Adams), 266
National Plastic Surgery Survey: face lift techniques and complications (Matarasso et al.), 1185. Discussion by Barton, 1196
paraspinous muscle hemorrhage as potential source of liposuction mortality *(Letters)*, 740
pericardial effusion masquerading as seroma of rectus abdominis donor site *(Letters)*, 741
post-laser hypersensitivity and atopic patient (Widgerow and Braun), 155
rare complication of circumcision: concealed penis *(Letters)*, 1662
recurrence of subglandular breast implant capsular contracture: anterior vs. total capsulectomy (Collis and Sharpe), 792
relationship of obesity and specimen weight to complications in reduction mammaplasty (Zubowski et al.), 998
salvage of TRAM flaps with compromised venous outflow (Caplin et al.), 400
toxic shock syndrome after suction lipectomy (Umeda et al.), 204. Discussion by Mladick, 208
treating seromas *(Letters)*, 1224
widening of scars: Millard technique (Wilson), 1488
Computed tomography myelography
predictive value in obstetrical brachial plexus palsy (Chow et al.), 971. Discussion by Slooff and Versteege, 978
surgical treatment of brachial plexus injuries in adults (Terzis and Papakonstantinou), 1097 *(CME)*
Computer use
communication in plastic surgery by e-mail (Allert et al.), 660
converting to digital photography: model for large group or academic practice (Galdino et al.), 119
dog-ear formation: three-dimensional analysis of skin surgery techniques (Mizunuma et al.), 845. Discussion by Remmler, 849
Internet: new friend to plastic surgeons *(Letters)*, 235
Confidentiality
authorization for patient photographs *(Editorial)*, 1206
maintaining privacy of patients *(Letters)*, 516
privacy: wanted or unwanted? *(Editorial)*, 214
Continuing Medical Education (CME)
advances in head and neck reconstruction (Gurtner and Evans), 672
Dupuytren's disease (Saar and Grothaus), 125
efficacy of preoperative decontamination of oral cavity (Summers et al.), 895
extensor tendon: anatomy, injury, and reconstruction (Rockwell et al.), 1592
optimal timing of cleft palate closure (Rohrich et al.), 413. Discussion by Kirschner and Bartlett, 423
restoration of elbow flexion after brachial plexus injury: role of nerve and muscle transfers (Gutowski and Orenstein), 1348. Discussion by Van Beek, 1359
surgical treatment of brachial plexus injuries in adults (Terzis and Papakonstantinou), 1097
Contouring. *See also* Liposuction
deep inferior epigastric perforator dermal-fat or adiposal flap for correction of craniofacial contour deformities (Koshima et al.), 10
endoscope-assisted calf reduction in Orientals (Kim et al.), 713. Discussion by Mladick, 719
facial autologous soft-tissue contouring by adjunction of tissue cocktail injection (Erol), 1375. Discussion by Rohrich and Reagan, 1388
overgrowth of fat autotransplanted for correction of localized steroid-induced atrophy (Latoni et al.), 1566
refinements in TRAM flap breast reconstruction: projection and contour improvements (Charanek et al.), 1262. Discussion by May, 1273
temporalis muscle hypertrophy: new plastic surgery procedure (Morselli), 1156
Contraction osteogenesis, craniofacial shortening by: experimental model *(Letters)*, 1657
Contractures
Dupuytren's disease *(CME)* (Saar and Grothaus), 125
latissimus dorsi myocutaneous flap reconstruction of neck and axillary burn contractures *(Letters)*, 1216
postburn, new concept for the management of *(Letters)*, 233
racial distribution of Dupuytren's disease in Department of Veterans Affairs patients (Saboeiro et al.), 71
Coronal synostosis, untreated unilateral, quantification of osseous facial dysmorphology in (Kane et al.), 251
Corrugator supercilii muscle, migraine headaches and resection of (Guyuron et al.), 429. Discussion by Unwin, 435. Discussion by Knize, 436
Corticosteroids, overgrowth of fat autotransplanted for correction of localized steroid-induced atrophy (Latoni et al.), 1566
Cosmetic surgery
abdominal dermolipectomies: early postoperative complications and long-term unfavorable results (Chaouat et al.), 1614. Discussion by Matarasso, 1619

www.plasreconsurg.org Subscription Order Card

www.plasreconsurg.org **Subscription Order Card**

ISSN 0032-1052

The leading plastic surgery journal now is available online, has expanded coverage of cosmetic surgery, and available CME credit. Subscribe today to get 14 issues of the latest in research and technique.

Residents of AL, CO, DC, FL, GA, HI, IA, ID, IN, KS, KY, LA, MD, MO, ND, NM, NV, PR, RI, SC, SD, UT, VT, WA, WV add state sales tax. In Canada, add GST. Subscriptions outside the U.S. must be prepaid in U.S. dollars. Rates are valid through August 31, 2001.

Plastic and Reconstructive Surgery

Editor: Robert M. Goldwyn, MD

	US	Outside the US		
Individual	☐ $375	☐ $481	☐ 3 Years	☐ New Subscription
Institutional	☐ $444	☐ $550	☐ 2 Years	
In-training*	☐ $189	☐ $295	☐ 1 Year	☐ Renewal

Add $29.00 for air freight delivery outside the US, Canada and Mexico. All prices include a handling charge.

PAYMENT OPTIONS: ☐ Check enclosed (Payable to Lippincott Williams & Wilkins) ☐ Bill me
☐ MasterCard ☐ American Express ☐ VISA ☐ Discover

Card # _____ Exp. date _____
Signature (or P.O.#) _____
Name _____
Address _____
City/State/Zip _____
Phone # _____ Fax # _____
Email _____

* Please specify institution & training status: _____

☐ **Check here to receive LWW.com product updates via e-mail.**

Call TOLL FREE to order by credit card in North America: **1-800-638-3030.**

Other countries fax your order to 1-301-223-2400.

E-Mail: orders@LWW.com **Internet:** LWW.com

LIPPINCOTT WILLIAMS & WILKINS
A Wolters Kluwer Company

PRS S1PLS066 Printed in U.S.A. 11S066ZZ

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 31 HAGERSTOWN, MD

POSTAGE WILL BE PAID BY ADDRESSEE

LIPPINCOTT WILLIAMS & WILKINS
PO BOX 1600
HAGERSTOWN MD 21741-9932

algorithm of facial aging (Pessa), 479. Discussion by Lambros, 489
anterior cervicoplasty in male patient (Gradinger), 1146. Discussion by Biggs, 1155
biological arches and changes to curvilinear form of aging maxilla (Zadoo and Pessa), 460. Discussion by Bartlett, 467
combined conchal cartilage-ethmoid bone grafts in nasal surgery (Neu), 171
combined rhytidectomy and full-face laser resurfacing (Achauer et al.), 1608. Discussion by Guyuron, 1612
corrugator supercilii muscle resection and migraine headaches (Guyuron et al.), 429. Discussion by Unwin, 435. Discussion by Knize, 436
course of inferior alveolar nerve in normal human mandibular ramus and in patients presenting for cosmetic reduction of mandibular angles (Kane et al.), 1162. Discussion by Persing, 1175
dermabrasion vs. CO_2 laser resurfacing for perioral wrinkles (Kitzmiller et al.), 1366. Discussion by Stuzin et al., 1373
dispelling myths and misconceptions about transumbilical breast augmentation (Dowden), 190. Discussion by Baccari, 195
distal, dorsal superior extremity plasty (Wendt), 210
dynamic rhinoplasty for plunging nasal tip: functional unity of inferior third of nose (Sainz-Arregui et al.), 1624
effect of hyperbaric oxygenation on viability of human fat injected into nude mice (Shoshani et al.), 1390. Discussion by Chao and Brown, 1397
effects of fellow patients on emotional well-being and satisfaction with care of postoperative cosmetic surgery patients (Kulik et al.), 1407. Discussion by Goldwyn, 1415
effects of traditional and ultrasonic liposuction on adipose tissue (Grippaudo et al.), 197
endoscope-assisted calf reduction in Orientals (Kim et al.), 713. Discussion by Mladick, 719
evaluating breast parenchymal maldistribution with regard to mastopexy and augmentation mammaplasty (Brink), 491
evaluating rejuvenation of forehead and brow: algorithm for selecting appropriate technique (Matarasso and Hutchinson), 687. Discussion by Singer, 695
evaluation and management of lower eyelid retraction following cosmetic surgery (Patipa), 438. Discussion by Hamra, 454. Discussion by Hester, 458
evaluation of results in aesthetic plastic surgery: preliminary observations on mammaplasty (Ferreira), 1630. Discussion by Losken and Bostwick, 1636. Discussion by Spear, 1639
facial autologous soft-tissue contouring by adjunction of tissue cocktail injection (Erol), 1375. Discussion by Rohrich and Reagan, 1388
FDA approves saline-filled breast implants (Rohrich), 903
globalization of (Rohrich), 685
guarded burr for deepening of nasofrontal junction (Guyuron), 1417
Guastella/Mantovani septal-valve splint: intranasal biplanar and multivectorial orthopedic device (Mantovani et al.), 475
hearing and ultrasound-assisted liposuction: effect on surgeon and patient (Kenkel et al.), 150. Discussion by Roland, 154
increasing popularity of cosmetic surgery procedures (Rohrich), 1363
in situ split costal cartilage graft harvesting through small incision using gouge (Ağaoğlu and Erol), 932. Discussion by Seifert, 936
laser blepharoplasty with transconjunctival orbicularis muscle/septum tightening and periocular skin resurfacing (Seckel et al.), 1127. Discussion by Roberts, 1142
liposuction as adjunct to full abdominoplasty revisited (Matarasso), 1197. Discussion by Baroudi, 1203. Discussion by Shestak, 1205
management of bulbous nose (McKinney), 906. Discussion by Gruber, 918
mandibular augmentation (Yaremchuk), 697
mandibular matrix implant system to restore skeletal support to lower face (Ramirez), 176
nasal tip blood supply: confirming the safety of the transcolumellar incision in rhinoplasty (Rohrich et al.), 1640
National Plastic Surgery Survey: face lift techniques and complications (Matarasso et al.), 1185. Discussion by Barton, 1196
patient acceptance of adequately filled breast implants using tilt test (Tebbetts), 139. Discussion by Dowden, 148
patient selection in *(Letters)*, 960
and patients who smoke: should we operate? (Rohrich), 137
plasma concentrations of monoethylglycinexylidide during and after breast augmentation (Rygnestad and Samdal), 728
plastic versus cosmetic surgery: what's the difference (Rohrich), 427
post-laser hypersensitivity and atopic patient (Widgerow and Braun), 155
premaxillary augmentation: adjunct to rhinoplasty (Fanous and Yoskovitch), 707
primum non nocere *(Letters)*, 960
right angle rhytidectomy flap (Schulman), 200
secondary correction of unsatisfactory blepharoplasty (Kim et al.), 1399. Discussion by Carraway, 1405
segmental bone and cartilage reconstruction of major nasal dorsal defects (Neu), 160
simplifying liposuction preparation *(Letters)*, 1427
surgical treatment of senile upper lip (Guerrissi), 938
temporalis muscle hypertrophy: new plastic surgery procedure (Morselli), 1156
temporary tarsorrhaphy suture to prevent or treat scleral show and ectropion secondary to laser resurfacing or laser blepharoplasty (Rosenberg), 721. Discussion by Codner, 726
toxic shock syndrome after suction lipectomy (Umeda et al.), 204. Discussion by Mladick, 208
training next generation of plastic surgeons (Rohrich), 1125
transumbilical endoscopic breast augmentation: submammary and subpectoral (Caleel), 1177. Discussion by Dowden, 1183
true hanging columella: simplified diagnosis and treatment using modified direct approach (Matarasso et al.), 469
use of resorbable spacers for nasal spreader grafts (Stal and Hollier), 922. Discussion by Byrd, 929. Discussion by Eppley, 930
who, what, when, and why of cosmetic surgery: do our patients need a preoperative psychiatric evaluation? (Rohrich), 1605

Craniofacial conditions
Chiari malformation, cervical spine anomalies, and neurologic deficits in velocardiofacial syndrome (Hultman et al.), 16
craniofacial shortening by contraction osteogenesis: experimental model *(Letters)*, 1657
deep inferior epigastric perforator dermal-fat or adiposal flap for correction of craniofacial contour deformities (Koshima et al.), 10
molecular analysis of isolated rat posterior frontal and sagittal sutures (Spector et al.), 852. Discussion by Rice, 862
quantification of osseous facial dysmorphology in untreated unilateral coronal synostosis (Kane et al.), 251
reduction malarplasty through intraoral incision (Kim and Seul), 1514
simple method for forehead unit reconstruction (Okada and Maruyama), 111

Cross-arm transfer (Reagan and Reagan), 648
Cubital tunnel syndrome, meta-analysis of management of (Mowlavi et al.), 327

Cytokines
exogenous growth factors and cytokines in tendon surgery *(Letters)*, 502
ischemia-reperfusion injury: multicellular phenomenon *(Letters)*, 1664

D

Dall-Miles cable system, treatment of sternal nonunion with (Eich and Heinz), 1075
Deep inferior epigastric perforator flap
for correction of craniofacial contour deformities (Koshima et al.), 10
fat necrosis in free TRAM flap and (Kroll), 576
venous congestion and blood flow in free TRAM flap and (Blondeel et al.), 1295
Degloving injuries, preservation of digital osteotendinous structure with omental flap (Iglesias et al.), 1062
Dermabond, tissue adhesives *(Letters)*, 1226
Dermabrasion, vs. CO_2 laser resurfacing for perioral wrinkles (Kitzmiller et al.), 1366. Discussion by Stuzin et al., 1373
Dermal substitute, graft survival and effectiveness of dermal substitution in burns and reconstructive surgery in one-stage grafting model (van Zuijlen et al.), 615
Dermoid cyst, on auriculotemporal area *(Letters)*, 947
Desmoid tumor of hand *(Letters)*, 954
Developing nations, establishing cleft malformation surgery (Zbar et al.), 886. Discussion by Laub, 890
Devices and equipment. *See also* Laser use
converting to digital photography: model for large group or academic practice (Galdino et al.), 119
customizing bone anchors *(Letters)*, 231
endoscopic carpal tunnel release instruments used for auricular cartilage scoring and correcting a flattened antihelix *(Letters)*, 1214
eyelid crutches for ptosis *(Letters)*, 1213
Gillies needleholder (Karim and Hage), 1346
guarded burr for deepening of nasofrontal junction (Guyuron), 1417
Guastella/Mantovani septal-valve splint: intranasal biplanar and multivectorial orthopedic device (Mantovani et al.), 475
hospital-acquired pressure ulcers *(Letters)*, 945
in situ split costal cartilage graft harvesting through small incision using gouge (Ağaoğlu and Erol), 932. Discussion by Seifert, 936
intranasal Kirschner wire splinting of nasal fractures *(Letters)*, 952
protecting hand splints *(Letters)*, 1220
reducing hazard of burns from bovie pads *(Letters)*, 947
repair of tips of microforceps *(Letters)*, 1224
simple suction device for autologous epidermal grafting *(Letters)*, 1225
splint design for postoperative prominent ear retraction *(Letters)*, 219
treatment of sternal nonunion with Dall-Miles cable system (Eich and Heinz), 1075
use of surgical ruler intraoperatively to stabilize everted upper lid *(Letters)*, 1426
use of vascular closure staple clip applier for microvascular anastomosis in free-flap surgery (Cope et al.), 107
wooden skewers for preoperative marking of skin incision lines *(Letters)*, 232
Diabetic patients
forefoot reconstruction by reversed island flaps in (Pallua et al.), 823
results of decompression of peripheral nerves in (Aszmann et al.), 816
treatment of diabetic neuropathy by decompression of posterior tibial nerve (Caffee), 813
Diagnosis, orf (ecthyma contagiosum): occasional diagnostic challenge *(Letters)*, 733
Digital photography
converting to: model for large group or academic practice (Galdino et al.), 119
digital documentation and enigma of TTL macroflash *(Letters)*, 1433
Dog bites
in New York City (Borud and Friedman), 987
a wound after contact between a child and a dog does not necessarily mean an animal bite *(Letters)*, 1227
Dog-ear formation, three-dimensional analysis of skin surgery techniques (Mizunuma et al.), 845. Discussion by Remmler, 849
Donor sites
anterolateral thigh flap donor-site complications and morbidity (Kimata et al.), 584
new technique of scarless expanded forehead flap for reconstructive surgery (Fan), 777
pericardial effusion masquerading as seroma of rectus abdominis donor site *(Letters)*, 741
radial forearm osteocutaneous flap for head and neck reconstruction *(Letters)*, 1425
Draping, practical method of sterile draping *(Letters)*, 220
Dressings
accelerated healing of full-thickness skin wounds in wet environment (Svensjö et al.), 602. Discussion by Hunt, 613
improved tie-over dressing technique for skin grafts using hydrocellular dressing *(Letters)*, 507
partial-thickness sponge dressing of facial skin grafts *(Letters)*, 509
running tie-over dressing *(Letters)*, 1436
Dupuytren's disease
overview *(CME)* (Saar and Grothaus), 125
racial distribution in Department of Veterans Affairs patients (Saboeiro et al.), 71
Dura mater, immature vs. mature: differential expression of genes important to calvarial reossification (Greenwald et al.), 630. Discussion by Maxson, 639
Dye injection, new dyeing method to facilitate dissection *(Letters)*, 518

E

E-mail, communication in plastic surgery by (Allert et al.), 660
Ear
Chiba University chronology for total ear reconstruction *(Letters)*, 218
endoscopic carpal tunnel release instruments used for auricular cartilage scoring and correcting a flattened antihelix *(Letters)*, 1214
open otoplasty (Nordzell), 1466
reconstruction supported by stereolithographic model *(Letters)*, 511
splint design for postoperative prominent ear retraction *(Letters)*, 219
subfascial expansion and expanded two-flap method for microtia reconstruction (Park), 1473
surgical technique for correction of all types of prominent ears? *(Letters)*, 948
tumbling concha-cartilage flap for correction of lop ear (Park), 259
Economic issues
a modest proposal *(Editorial)*, 214
rise and fall of managed care: a morality play for free marketeers *(Editorial)*, 1642
woe for HMO *(Editorial)*, 500
Ecthyma contagiosum, occasional diagnostic challenge *(Letters)*, 733
Editorials
Authorization for patient photographs (Goldwyn et al.), 1206
It's not how you say it but what you say (Goldwyn), 1421
A modest proposal (Goldwyn), 214
A paradigm shift for plastic surgeons: no longer focusing on excising skin excess (Hudson), 497

Privacy: wanted or unwanted? (Goldwyn), 214
The rise and fall of managed care: a morality play for free marketeers (Wolfe), 1642
Why be responsible if you can avoid it? (Goldwyn), 732
Woe for HMO (Goldwyn), 500
Ehlers-Danlos syndrome, recurrent ventral herniation in (Girotto et al.), 1520
Elbow
management of cubital tunnel syndrome: meta-analysis (Mowlavi et al.), 327
restoration of elbow flexion after brachial plexus injury: role of nerve and muscle transfers *(CME)* (Gutowski and Orenstein), 1348. Discussion by Van Beek, 1359
use of latissimus dorsi muscle to restore elbow flexion in arthrogryposis (Gagnon et al.), 1582
End-to-side neurorrhaphy for muscle reinnervation (Giovanoli et al.), 383
Endocrinology, estrogen and progesterone receptors in gynecomastia (Pensler et al.), 1011
Endoscopy
endoscope-assisted calf reduction in Orientals (Kim et al.), 713. Discussion by Mladick, 719
endoscopic carpal tunnel release instruments used for auricular cartilage scoring and correcting a flattened antihelix *(Letters)*, 1214
transumbilical endoscopic breast augmentation: submammary and subpectoral (Caleel), 1177. Discussion by Dowden, 1183
Epidemiology
breast cancer following breast reduction surgery in Sweden (Boice et al.), 755
dog bites in New York City (Borud and Friedman), 987
geographic variation in postmastectomy breast reconstruction rates (Polednak), 298
Epidermal grafts, autologous, simple suction device for *(Letters)*, 1225
Equipment. *See* Devices and equipment
Erb's palsy, outcome when decision to operate is made at 4 months of age (Al-Qattan), 1461
Estrogen receptors, and progesterone receptors in gynecomastia (Pensler et al.), 1011
Experimental studies
accelerated healing of full-thickness skin wounds in wet environment (Svensjö et al.), 602. Discussion by Hunt, 613
augmentation of adipofascial flaps using long-term local delivery of insulin and insulin-like growth factor-1 (Yuksel et al.), 373
cellular signaling by tyrosine phosphorylation in keloid and normal human dermal fibroblasts (Chin et al.), 1532
clamp delay: effective new method of nonsurgical delay (Macionis), 1321
cutaneous blood vessels in scent pigs (Zhang et al.), 1555
dog-ear formation: three-dimensional analysis of skin surgery techniques (Mizunuma et al.), 845. Discussion by Remmler, 849
effect of hyperbaric oxygenation on viability of human fat injected into nude mice (Shoshani et al.), 1390. Discussion by Chao and Brown, 1397
effect of radiation on skin expansion and skin flap viability in pigs (Dvali et al.), 624
effects of ionizing radiation on osteoblast-like cells in vitro (Dudziak et al.), 1049
evaluation of end-to-side neurorrhaphy for muscle reinnervation (Giovanoli et al.), 383
graft survival and effectiveness of dermal substitution in burns and reconstructive surgery in one-stage grafting model (van Zuijlen et al.), 615
immature vs. mature dura mater: differential expression of genes important to calvarial reossification (Greenwald et al.), 630. Discussion by Maxson, 639
improved perfusion after subcritical ischemia in muscle flaps treated with vascular endothelial growth factor (Banbury et al.), 1541
microvascular transplantation of rat submandibular gland (Spiegel et al.), 1326
molecular analysis of isolated rat posterior frontal and sagittal sutures (Spector et al.), 852. Discussion by Rice, 862
osteochondral reconstruction of non–weight-bearing joint using high-density porous polyethylene implant (Weinzweig et al.), 1547
osteogenesis in cranial defects: concept of critical size and expression of TGF-β isoforms (Gosain et al.), 360. Discussion by Hollinger, 372
preservation of digital osteotendinous structure with omental flap (Iglesias et al.), 1062
Extensor tendon
anatomy, injury, and reconstruction *(CME)* (Rockwell et al.), 1592
'ring' lipoma causing extensor tenosynovitis (Sharma et al.), 1072
Extremities
bicycle spoke injuries in lower extremity (Mine et al.), 1501
bilateral leg amputation: crossover replantation and fillet flap coverage of stump after ectopic implantation (Kayıkçıoğlu et al.), 868
distal, dorsal superior extremity plasty (Wendt), 210
emergency cross-arm transfer (Reagan and Reagan), 648
endoscope-assisted calf reduction in Orientals (Kim et al.), 713. Discussion by Mladick, 719
forefoot reconstruction by reversed island flaps in diabetic patients (Pallua et al.), 823
free flap coverage of bilateral frostbite of feet (Classen), 1316
free transfer of expanded parascapular, latissimus dorsi, and expander 'capsule' flap for coverage of large lower-extremity soft-tissue defect (Maghari et al.), 402
limb salvage of lower-extremity wounds using free gracilis muscle reconstruction (Redett et al.), 1507
lymphatic mapping and sentinel lymph node biopsy in patients with melanoma of lower extremity *(Letters)*, 734
management of hand and upper-extremity infections in heart transplant recipients (Klein and Chang), 598
medial plantar flap based distally on lateral plantar artery to cover forefoot skin defect (Oberlin et al.), 874
restoration of elbow flexion after brachial plexus injury: role of nerve and muscle transfers *(CME)* (Gutowski and Orenstein), 1348. Discussion by Van Beek, 1359
role of large superficial veins in distally based flaps of *(Letters)*, 230
soft-tissue reconstruction following debridement for chronic osteomyelitis of lower limb *(Letters)*, 503
use of latissimus dorsi muscle to restore elbow flexion in arthrogryposis (Gagnon et al.), 1582
Eye
microvascular submandibular gland transfer for severe cases of keratoconjunctivitis sicca (Sieg et al.), 554. Discussion by Pflugfelder, 561
prefabricated temporalis fascia pedicled flap for previously skin-grafted contracted eye socket (El-Khatib), 571
Eyelids
disinsertion of levator aponeurosis from tarsus in growing children (Sultana et al.), 563
evaluation and management of lower eyelid retraction following cosmetic surgery (Patipa), 438. Discussion by Hamra, 454. Discussion by Hester, 458
eyelid crutches for ptosis *(Letters)*, 1213
laser blepharoplasty with transconjunctival orbicularis muscle/septum tightening and periocular skin resurfacing (Seckel et al.), 1127. Discussion by Roberts, 1142
levator aponeurosis has dynamic insertion *(Letters)*, 735
lid loading with gold for upper lid paralysis *(Letters)*, 735
secondary correction of unsatisfactory blepharoplasty (Kim et al.), 1399. Discussion by Carraway, 1405
temporary tarsorrhaphy suture to prevent or treat scleral show and ectropion secondary to laser resurfacing or laser blepharoplasty (Rosenberg), 721. Discussion by Codner, 726

use of surgical ruler intraoperatively to stabilize everted upper lid *(Letters)*, 1426

F

Face
advances in head and neck reconstruction *(CME)* (Gurtner and Evans), 672
algorithm of facial aging (Pessa), 479. Discussion by Lambros, 489
clinical anthropometry and canons of the face in historical perspective (Vegter and Hage), 1090
color Doppler flow imaging of facial artery and vein (Zhao et al.), 1249
combined use of flaps based on subscapular vascular system for unilateral facial deformities (Ugurlu et al.), 1079
complex facial nevi: surgical algorithm (Gur and Zuker), 25
delayed reactivation of herpes simplex virus infection after facial laser resurfacing *(Letters)*, 743
dermabrasion vs. CO_2 laser resurfacing for perioral wrinkles (Kitzmiller et al.), 1366. Discussion by Stuzin et al., 1373
dermoid cyst on auriculotemporal area *(Letters)*, 947
facial autologous soft-tissue contouring by adjunction of tissue cocktail injection (Erol), 1375. Discussion by Rohrich and Reagan, 1388
facial palsy after abdominal liposuction *(Letters)*, 945
facial sensibility testing (Posnick and Grossman), 892
histologic change of arteriovenous malformations of face and scalp after free flap transfer (Tark and Chung), 87
long-term complications of facial injections with Restylane (injectable hyaluronic acid) *(Letters)*, 1215
mandibular matrix implant system to restore skeletal support to lower face (Ramirez), 176
new technique of scarless expanded forehead flap for reconstructive surgery (Fan), 777
partial-thickness sponge dressing of facial skin grafts *(Letters)*, 509
quantification of osseous facial dysmorphology in untreated unilateral coronal synostosis (Kane et al.), 251
rejuvenation of midface *(Letters)*, 944
simple method for forehead unit reconstruction (Okada and Maruyama), 111
spear fishing: pearls in repositioning facial soft tissue *(Letters)*, 1427
successful radial forearm free flap for facial reconstruction in 97-year-old patient *(Letters)*, 1656
treatment of aging midface *(Letters)*, 1653
tumescence: valuable adjunct for the excision of facial hemangiomas *(Letters)*, 217
Face lift. *See* Rhytidoplasty
Facial paralysis, nerve-guiding technique for cross-face nerve grafting in *(Letters)*, 734
Familial multiple lipomatosis, minimally invasive approach to (Ronan and Broderick), 878
Fascia, prefabricated temporalis fascia pedicled flap for previously skin-grafted contracted eye socket (El-Khatib), 571
Fasciocutaneous island flaps
breast reconstruction with internal mammary artery pedicled fasciocutaneous island flap (Kalender et al.), 1494. Discussion by Fisher, 1499
repair of pharyngocutaneous fistula with fasciocutaneous island flap pedicled on superficial temporalis artery (Fabrizio et al.), 1573
Fat. *See also* Liposuction
augmentation of adipofascial flaps using long-term local delivery of insulin and insulin-like growth factor-1 (Yuksel et al.), 373
deep inferior epigastric perforator dermal-fat or adiposal flap for correction of craniofacial contour deformities (Koshima et al.), 10
effect of hyperbaric oxygenation on viability of human fat injected into nude mice (Shoshani et al.), 1390. Discussion by Chao and Brown, 1397
effects of traditional and ultrasonic liposuction on adipose tissue (Grippaudo et al.), 197
external ultrasonic lipoplasty *(Letters)*, 1428
facial autologous soft-tissue contouring by adjunction of tissue cocktail injection (Erol), 1375. Discussion by Rohrich and Reagan, 1388
future of liposuction and fat *(Letters)*, 505
minimally invasive approach to familial multiple lipomatosis (Ronan and Broderick), 878
new microsurgical breast reconstruction using free paraumbilical perforator adiposal flaps (Koshima et al.), 61
overgrowth of fat autotransplanted for correction of localized steroid-induced atrophy (Latoni et al.), 1566
superdry technique for lipoplasty of leg and no-touch technique for autologous fat transplantation *(Letters)*, 738
Fat necrosis
after TRAM flap, massage for *(Letters)*, 1216
in free transverse rectus abdominis myocutaneous and deep inferior epigastric perforator flaps (Kroll), 576
Fingers. *See* Hand and wrist
Finite element analysis, dog-ear formation: three-dimensional analysis of skin surgery techniques (Mizunuma et al.), 845. Discussion by Remmler, 849
Fistulas
oropharyngocutaneous, surgical closure of (Olasz et al.), 1577
repair of pharyngocutaneous fistula with fasciocutaneous island flap pedicled on superficial temporalis artery (Fabrizio et al.), 1573
Flaps
aesthetic results and patient satisfaction with bilateral breast reduction using inferior pedicle and McKissock's vertical bipedicle dermal flap techniques (Ramon et al.), 289. Discussion by Ruberg, 296
anterolateral thigh flap donor-site complications and morbidity (Kimata et al.), 584
augmentation of adipofascial flaps using long-term local delivery of insulin and insulin-like growth factor-1 (Yuksel et al.), 373
bilateral leg amputation: crossover replantation and fillet flap coverage of stump after ectopic implantation (Kayıkçıoğlu et al.), 868
bipedicle paraspinous muscle flaps for spinal wound closure (Wilhelmi et al.), 1305
boomerang flap in managing injuries of dorsum of distal phalanx (Chen et al.), 834
breast reconstruction with internal mammary artery pedicled fasciocutaneous island flap (Kalender et al.), 1494. Discussion by Fisher, 1499
clamp delay: effective new method of nonsurgical delay (Macionis), 1321
clinical applications of posterior rectus sheath-peritoneal free flap (Salgado et al.), 321
combined use of flaps based on subscapular vascular system for unilateral facial deformities (Ugurlu et al.), 1079
combined use of V-Y advancement flap and rotation flap *(Letters)*, 1223
congenital isolated absence of nasal columella: reconstruction with internal nasal vestibular skin flap and bilateral labial mucosa flaps (Mavili and Akyürek), 393
deep inferior epigastric perforator dermal-fat or adiposal flap for correction of craniofacial contour deformities (Koshima et al.), 10
development of distally based radial forearm flap in hand reconstruction with preservation of radial artery *(Letters)*, 955
effect of radiation on skin expansion and skin flap viability in pigs (Dvali et al.), 624
factors affecting outcome in free-tissue transfer in elderly (Serletti et al.), 66
forefoot reconstruction by reversed island flaps in diabetic patients (Pallua et al.), 823
free flap coverage of bilateral frostbite of feet (Classen), 1316

frontalis musculocutaneous island flap for coverage of forehead defect *(Letters)*, 1212
histologic change of arteriovenous malformations of face and scalp after free flap transfer (Tark and Chung), 87
inferiorly based gastrocnemius muscle flap (Tsetsonis et al.), 1312
late reconstruction of two total metacarpal bone defects using lengthening devices and double-barrel osteocutaneous free parascapular flap (Masaki et al.), 102
latissimus dorsi myocutaneous flap reconstruction of neck and axillary burn contractures *(Letters)*, 1216
new microsurgical breast reconstruction using free paraumbilical perforator adiposal flaps (Koshima et al.), 61
new technique of scarless expanded forehead flap for reconstructive surgery (Fan), 777
prefabricated temporalis fascia pedicled flap for previously skin-grafted contracted eye socket (El-Khatib), 571
preservation of digital osteotendinous structure with omental flap (Iglesias et al.), 1062
reverse ulnar hypothenar flap for finger reconstruction (Omokawa et al.), 828
right angle rhytidectomy flap (Schulman), 200
role of large superficial veins in distally based flaps of the extremities *(Letters)*, 230
sideburn reconstruction with arterial V-Y hair-bearing scalp flap after excision of basal cell carcinoma (Davis), 94
subfascial expansion and expanded two-flap method for microtia reconstruction (Park), 1473
treatment of finger avulsion injuries with innervated arterialized venous flaps (Takeuchi et al.), 881
tumbling concha-cartilage flap for correction of lop ear (Park), 259

Foot and ankle
clinical applications of posterior rectus sheath-peritoneal free flap (Salgado et al.), 321
forefoot reconstruction by reversed island flaps in diabetic patients (Pallua et al.), 823
free flap coverage of bilateral frostbite of feet (Classen), 1316
medial plantar flap based distally on lateral plantar artery to cover forefoot skin defect (Oberlin et al.), 874
replantation of great and second toes *(Letters)*, 229

Forearm
development of distally based radial forearm flap in hand reconstruction with preservation of radial artery *(Letters)*, 955
distal, dorsal superior extremity plasty (Wendt), 210
radial forearm osteocutaneous flap for head and neck reconstruction *(Letters)*, 1425
successful radial forearm free flap for facial reconstruction in 97-year-old patient *(Letters)*, 1656
venous drainage architecture of forearm skin and subcutaneous tissue (Imanishi et al.), 1287

Forehead and brow
comparison between subgaleal and subperiosteal brow lift *(Letters)*, 1652
evaluating rejuvenation of forehead and brow: algorithm for selecting appropriate technique (Matarasso and Hutchinson), 687. Discussion by Singer, 695
frontalis musculocutaneous island flap for coverage of forehead defect *(Letters)*, 1212
new technique of scarless expanded forehead flap for reconstructive surgery (Fan), 777
simple method for forehead unit reconstruction (Okada and Maruyama), 111

Fracture healing
effects of ionizing radiation of osteoblast-like cells in vitro (Dudziak et al.), 1049
treatment of sternal nonunion with Dall-Miles cable system (Eich and Heinz), 1075

Fractures
intranasal Kirschner wire splinting of nasal fractures *(Letters)*, 952
nasal fracture management: minimizing secondary nasal deformities (Rohrich and Adams), 266

Free flaps
clinical applications of posterior rectus sheath-peritoneal free flap (Salgado et al.), 321
factors affecting outcome in free-tissue transfer in elderly (Serletti et al.), 66
free flap coverage of bilateral frostbite of feet (Classen), 1316
free transfer of expanded parascapular, latissimus dorsi, and expander 'capsule' flap for coverage of large lower-extremity soft-tissue defect (Maghari et al.), 402
histologic change of arteriovenous malformations of face and scalp after free flap transfer (Tark and Chung), 87
late reconstruction of two total metacarpal bone defects using lengthening devices and double-barrel osteocutaneous free parascapular flap (Masaki et al.), 102
new microsurgical breast reconstruction using free paraumbilical perforator adiposal flaps (Koshima et al.), 61
preservation of digital osteotendinous structure with omental flap (Iglesias et al.), 1062
successful radial forearm free flap for facial reconstruction in 97-year-old patient *(Letters)*, 1656
use of vascular closure staple clip applier for microvascular anastomosis in free-flap surgery (Cope et al.), 107

Frontal sinus, expansion from uncommon cause *(Letters)*, 951
Frontalis muscle, frontalis musculocutaneous island flap for coverage of forehead defect *(Letters)*, 1212
Frostbite, free flap coverage of bilateral frostbite of feet (Classen), 1316
Furlow Z-plasty, radiographic and aerodynamic measures of velopharyngeal anatomy and function following (D'Antonio et al.), 539. Discussion by Furlow, 550

G

Gastrocnemius muscle flap, inferiorly based (Tsetsonis et al.), 1312
Genetics, molecular analysis of isolated rat posterior frontal and sagittal sutures (Spector et al.), 852. Discussion by Rice, 862

Genitalia
absence of vaginal and urethral orifices after vulvovaginal trauma *(Letters)*, 1435
buried penis release in adults with suction lipectomy and abdominoplasty (Adham et al.), 840
conservative treatment of early-stage penile melanoma *(Letters)*, 1221
preputial neurofibroma with hypospadias *(Letters)*, 957
rare complication of circumcision: concealed penis *(Letters)*, 1662
secondary corrections of vulva in male-to-female transsexuals (Hage et al.), 350

Gillies needleholder (Karim and Hage), 1346
Globalization of cosmetic surgery (Rohrich), 685
Glossectomy, complications and functional results after total glossectomy with microvascular reconstruction (Kimata et al.), 1028
Gluteal vessels, superior and inferior, muscle-splitting approach to (Park), 81
Gold, lid loading with gold for upper lid paralysis *(Letters)*, 735
Gout, flexor tendinitis and median nerve compression caused by gout in patient with rheumatoid arthritis (Weinzweig et al.), 1570

Gracilis muscle
facial animation in children with Möbius syndrome after segmental gracilis muscle transplant (Zuker and Manktelow), 1. Discussion by Harrison, 9
limb salvage of lower-extremity wounds using free gracilis muscle reconstruction (Redett et al.), 1507

Growth factors
augmentation of adipofascial flaps using long-term local delivery of insulin and insulin-like growth factor-1 (Yuksel et al.), 373

effect of nerve growth factor on nerve regeneration through a vein graft across a gap *(Letters)*, 1227
exogenous growth factors and cytokines in tendon surgery *(Letters)*, 502
improved perfusion after subcritical ischemia in muscle flaps treated with vascular endothelial growth factor (Banbury et al.), 1541
osteogenesis in cranial defects: concept of critical size and expression of TGF-β isoforms (Gosain et al.), 360. Discussion by Hollinger, 372
platelet-derived growth factor as adjunct to surgery for pressure ulcers (Kalliainen et al.), 1243
Guastella/Mantovani septal-valve splint, intranasal biplanar and multivectorial orthopedic device (Mantovani et al.), 475
Guest reviewers for 1998–2000, 1644
Gynecomastia, estrogen and progesterone receptors in (Pensler et al.), 1011

H

Hair
lip scars camouflaged using microhair transplantation on male patients (Kılıç et al.), 1340
sideburn reconstruction with arterial V-Y hair-bearing scalp flap after excision of basal cell carcinoma (Davis), 94
Hand and wrist
amputation of middle ray in primary treatment of severe injuries of central hand (Sood and Elliot), 115
boomerang flap in managing injuries of dorsum of distal phalanx (Chen et al.), 834
clinical applications of posterior rectus sheath-peritoneal free flap (Salgado et al.), 321
desmoid tumor of hand *(Letters)*, 954
development of distally based radial forearm flap in hand reconstruction with preservation of radial artery *(Letters)*, 955
distal, dorsal superior extremity plasty (Wendt), 210
Dupuytren's disease *(CME)* (Saar and Grothaus), 125
extensor tendon: anatomy, injury, and reconstruction *(CME)* (Rockwell et al.), 1592
flexor tendinitis and median nerve compression caused by gout in patient with rheumatoid arthritis (Weinzweig et al.), 1570
late reconstruction of two total metacarpal bone defects using lengthening devices and double-barrel osteocutaneous free parascapular flap (Masaki et al.), 102
management of hand and upper-extremity infections in heart transplant recipients (Klein and Chang), 598
plastic surgeons in American hand surgery (Chang et al.), 406
polyglycolic acid conduits for digital nerve reconstruction (Weber et al.), 1036. Discussion by Lundborg, 1046
polyurethane film (OpSite) for superficial fingertip avulsion injuries *(Letters)*, 512
protecting hand splints *(Letters)*, 1220
racial distribution of Dupuytren's disease in Department of Veterans Affairs patients (Saboeiro et al.), 71
repair of collateral ligament injuries of thumb metacarpophalangeal joint (McCall and Roth), 657
resurfacing arthroplasty for metacarpophalangeal joint osteoarthritis *(Letters)*, 1430
reverse ulnar hypothenar flap for finger reconstruction (Omokawa et al.), 828
rice cooker steam hand burn in the pediatric patient (Roh et al.), 76
'ring' lipoma causing extensor tenosynovitis (Sharma et al.), 1072
role of sclerotherapy in abnormal varicose hand veins *(Letters)*, 228
thumb and finger reconstruction using transplantation of big toe skin-nail flap combined with second toe or second and third toes (Yu and Huang), 335
treatment of finger avulsion injuries with innervated arterialized venous flaps (Takeuchi et al.), 881
Harvard Pilgrim Health Care, woe for HMO *(Editorial)*, 500
Harvest procedures, in situ split costal cartilage graft harvesting through small incision using gouge (Ağaoğlu and Erol), 932. Discussion by Seifert, 936
Head and neck reconstruction
advances in *(CME)* (Gurtner and Evans), 672
anterior cervicoplasty in male patient (Gradinger), 1146. Discussion by Biggs, 1155
latissimus dorsi myocutaneous flap reconstruction of neck and axillary burn contractures *(Letters)*, 1216
radial forearm osteocutaneous flap for *(Letters)*, 1425
repair of pharyngocutaneous fistula with fasciocutaneous island flap pedicled on superficial temporalis artery (Fabrizio et al.), 1573
surgical closure of oropharyngocutaneous fistulas (Olasz et al.), 1577
Headache, corrugator supercilii muscle resection and migraine headaches (Guyuron et al.), 429. Discussion by Unwin, 435. Discussion by Knize, 436
Health insurance, new problems in precertifying breast reduction surgery *(Letters)*, 954
Health state preferences, measurement in women with breast hypertrophy (Kerrigan et al.), 280
Health status, reduction mammaplasty provides long-term improvement in quality of life and (Blomqvist et al.), 991
Hearing, and ultrasound-assisted liposuction: effect on surgeon and patient (Kenkel et al.), 150. Discussion by Roland, 154
Heart disease
breast infarction after plastic surgery in patient with previous open heart surgery (Mendez-Fernandez), 645
management of hand and upper-extremity infections in heart transplant recipients (Klein and Chang), 598
Hemangiomas
cellular and extracellular markers of (Tan et al.), 529
tumescence: valuable adjunct for the excision of facial hemangiomas *(Letters)*, 217
Hemifacial microsomia, deep inferior epigastric perforator dermal-fat or adiposal flap for correction of craniofacial contour deformities (Koshima et al.), 10
Hemorrhage, paraspinous muscle hemorrhage as potential source of liposuction mortality *(Letters)*, 740
Hernias, recurrent ventral herniation in Ehlers-Danlos syndrome (Girotto et al.), 1520
Herpes simplex virus infection, delayed reactivation after facial laser resurfacing *(Letters)*, 743
Histology
accelerated healing of full-thickness skin wounds in wet environment (Svensjö et al.), 602. Discussion by Hunt, 613
cellular and extracellular markers of hemangiomas (Tan et al.), 529
histologic change of arteriovenous malformations of face and scalp after free flap transfer (Tark and Chung), 87
History
1927 view of plastic surgery *(Letters)*, 1211
clinical anthropometry and canons of the face in historical perspective (Vegter and Hage), 1090
Gillies: a golfer's needleholder (Karim and Hage), 1346
heritage of Sir William Osler: is there a message to plastic surgeons? (Towpik), 1586
plastic surgeons in American hand surgery (Chang et al.), 406
plastic surgery of face in Byzantium in fourth century *(Letters)*, 517
Hospital-acquired pressure ulcers *(Letters)*, 945
Hyaluronic acid, long-term complications of facial injections with Restylane *(Letters)*, 1215
Hyperbaric oxygenation, effect on viability of human fat injected into nude mice (Shoshani et al.), 1390. Discussion by Chao and Brown, 1397
Hyperkeratosis, of areola, management of *(Letters)*, 736
Hypersensitivity reactions, post-laser hypersensitivity and atopic patient (Widgerow and Braun), 155

Hypertrophy
measuring health state preferences in women with breast hypertrophy (Kerrigan et al.), 280
temporalis muscle hypertrophy: new plastic surgery procedure (Morselli), 1156
Hypoglossia-hypodactyly syndrome, without extremity anomalies, treatment of (Yamada et al.), 274
Hypospadias, preputial neurofibroma with *(Letters)*, 957

I

Implants and prostheses. *See also* Biomaterials
abdominal tissue expansion aids in placement of baclofen pump and other implantation devices *(Letters)*, 1437
AlloDerm lip augmentation *(Letters)*, 953
in breast (*See* Breast implants)
lid loading with gold for upper lid paralysis *(Letters)*, 735
mandibular augmentation (Yaremchuk), 697
mandibular matrix implant system to restore skeletal support to lower face (Ramirez), 176
osteochondral reconstruction of non–weight-bearing joint using high-density porous polyethylene implant (Weinzweig et al.), 1547
polyglycolic acid conduits for digital nerve reconstruction (Weber et al.), 1036. Discussion by Lundborg, 1046
premaxillary augmentation: adjunct to rhinoplasty (Fanous and Yoskovitch), 707
Incisions
dog-ear formation: three-dimensional analysis of skin surgery techniques (Mizunuma et al.), 845. Discussion by Remmler, 849
in situ split costal cartilage graft harvesting through small incision using gouge (Ağaoğlu and Erol), 932. Discussion by Seifert, 936
nasal tip blood supply: confirming the safety of the transcolumellar incision in rhinoplasty (Rohrich et al.), 1640
reduction malarplasty through intraoral incision (Kim and Seul), 1514
right angle rhytidectomy flap (Schulman), 200
wooden skewers for preoperative marking of skin incision lines *(Letters)*, 232
Infection
delayed reactivation of herpes simplex virus infection after facial laser resurfacing *(Letters)*, 743
efficacy of preoperative decontamination of oral cavity *(CME)* (Summers et al.), 895
management of hand and upper-extremity infections in heart transplant recipients (Klein and Chang), 598
soft-tissue reconstruction following debridement for chronic osteomyelitis of lower limb *(Letters)*, 503
toxic shock syndrome after suction lipectomy (Umeda et al.), 204. Discussion by Mladick, 208
zoster following immediate TRAM flap breast reconstruction *(Letters)*, 1218
Inferior alveolar nerve, course in normal human mandibular ramus and in patients presenting for cosmetic reduction of mandibular angles (Kane et al.), 1162. Discussion by Persing, 1175
Inferior epigastric arteries, deep, TRAM delay by embolization of *(Letters)*, 1660
Inferior pedicle technique, aesthetic results and patient satisfaction with bilateral breast reduction using McKissock's vertical bipedicle dermal flap technique and (Ramon et al.), 289. Discussion by Ruberg, 296
Injuries. *See* Trauma
Instrumentation. *See* Devices and equipment
Insulin, augmentation of adipofascial flaps using long-term local delivery of insulin-like growth factor-1 and (Yuksel et al.), 373
Integra, graft survival and effectiveness of dermal substitution in burns and reconstructive surgery in one-stage grafting model (van Zuijlen et al.), 615
Internal jugular vein, double *(Letters)*, 1434
Internal mammary artery pedicled fasciocutaneous island flap, breast reconstruction with (Kalender et al.), 1494. Discussion by Fisher, 1499
International abstracts, 238, 520, 745, 962, 1229, 1441, 1666
Internet
communication in plastic surgery by e-mail (Allert et al.), 660
new friend to plastic surgeons *(Letters)*, 235
Intestinal transplantation, abdominal wall closure after (Alexandrides et al.), 805
Ischemia
improved perfusion after subcritical ischemia in muscle flaps treated with vascular endothelial growth factor (Banbury et al.), 1541
ischemia-reperfusion injury: multicellular phenomenon *(Letters)*, 1664
Island flaps
breast reconstruction with internal mammary artery pedicled fasciocutaneous island flap (Kalender et al.), 1494. Discussion by Fisher, 1499
forefoot reconstruction by reversed island flaps in diabetic patients (Pallua et al.), 823
frontalis musculocutaneous island flap for coverage of forehead defect *(Letters)*, 1212
repair of pharyngocutaneous fistula with fasciocutaneous island flap pedicled on superficial temporalis artery (Fabrizio et al.), 1573
sideburn reconstruction with arterial V-Y hair-bearing scalp flap after excision of basal cell carcinoma (Davis), 94
simple method for forehead unit reconstruction (Okada and Maruyama), 111

J

Joints
osteochondral reconstruction of non–weight-bearing joint using high-density porous polyethylene implant (Weinzweig et al.), 1547
repair of collateral ligament injuries of thumb metacarpophalangeal joint (McCall and Roth), 657
resurfacing arthroplasty for metacarpophalangeal joint osteoarthritis *(Letters)*, 1430

K

Keloids, cellular signaling by tyrosine phosphorylation in keloid and normal human dermal fibroblasts (Chin et al.), 1532
Keratoconjunctivitis sicca, microvascular submandibular gland transfer for severe cases of (Sieg et al.), 554. Discussion by Pflugfelder, 561
Kirschner wires, for intranasal splinting of nasal fractures *(Letters)*, 952
Konuralp, Prof. Halit Ziya *(Letters)*, 1434

L

Laboratory animals. *See also* Experimental studies
new dyeing method to facilitate dissection *(Letters)*, 518
protective effect of chili against autocannibalism *(Letters)*, 519
use of one-finger glove for rat anesthesia *(Letters)*, 518
Labros's theory of skeletal remodeling, algorithm of facial aging (Pessa), 479. Discussion by Lambros, 489
Lactosorb, use of resorbable spacers for nasal spreader grafts (Stal and Hollier), 922. Discussion by Byrd, 929. Discussion by Eppley, 930
Language. *See also* Speech outcome
second-language acquisition following pharyngeal flap surgery in non–English-speaking immigrants (Borud et al.), 640
Laser use
combined rhytidectomy and full-face laser resurfacing (Achauer et al.), 1608. Discussion by Guyuron, 1612
delayed reactivation of herpes simplex virus infection after facial laser resurfacing *(Letters)*, 743

dermabrasion vs. CO_2 laser resurfacing for perioral wrinkles (Kitzmiller et al.), 1366. Discussion by Stuzin et al., 1373
laser blepharoplasty with transconjunctival orbicularis muscle/septum tightening and periocular skin resurfacing (Seckel et al.), 1127. Discussion by Roberts, 1142
post-laser hypersensitivity and atopic patient (Widgerow and Braun), 155
temporary tarsorrhaphy suture to prevent or treat scleral show and ectropion secondary to laser resurfacing or laser blepharoplasty (Rosenberg), 721. Discussion by Codner, 726
Latissimus dorsi muscle
free transfer of expanded parascapular, latissimus dorsi, and expander 'capsule' flap for coverage of large lower-extremity soft-tissue defect (Maghari et al.), 402
modified autogenous latissimus breast reconstruction and box top nipple (Horn et al.), 763
myocutaneous flap reconstruction of neck and axillary burn contractures *(Letters)*, 1216
sensitivity of breasts reconstructed with autologous latissimus dorsi flap (Delay et al.), 302. Discussion by Dellon, 310
use to restore elbow flexion in arthrogryposis (Gagnon et al.), 1582
Legal issues, warning about anatomical breast implants *(Letters)*, 740
Letters to the Editor
A 1927 view of cosmetic surgery (Ryan), 1211
Abdominal tissue expansion aids in placement of the baclofen pump and other implantation devices (Netscher et al.), 1437
Absence of vaginal and urethral orifices after vulvovaginal trauma (Çerkeş et al.), 1435
AlloDerm lip augmentation (Gryskiewicz), 953. Reply by Rohrich), 953
An improved tie-over dressing technique for skin grafts using a hydrocellular dressing (Di Benedetto et al.), 507
An innovative technique for fixing costochondral grafts (Shetty et al.), 1658
Angiogenesis in primary tumor cells of metastatic and nonmetastatic malignant melanoma (Mowlavi and Malafa), 514
The angular branch of the thoracodorsal artery and its blood supply to the inferior angle of the scapula: an anatomical study (Van Thienen), 222. Reply by Seneviratne, 223
Avoiding the teardrop-shaped nipple-areola complex in vertical mammaplasty (Wallach), 1217
Blowing in the wind (Jaouen), 1439. Reply by Goldwyn, 1440
Botox and the management of pectoral spasm after subpectoral implant insertion (Senior), 224
The Chiba University chronology for total ear reconstruction (Danino et al.), 218
The classification of inverted nipples (Scholten), 737. Reply by Han, 738
Coincidental breast carcinoma detection in reduction mammaplasty specimens (Özmen et al.), 1219
Combined use of V-Y advancement flap and rotation flap (Karacalar), 1223
A comparison between subgaleal and subperiosteal brow lift (Karabulut and Tümerdem), 1652. Reply by Troilius, 1653
Conservative treatment of early-stage penile melanoma (Kurul and Büyükbabani), 1221
Craniofacial shortening by contraction osteogenesis: an experimental model (Peltomäki and Vendittelli), 1657
Creating long-term benefits in cleft lip and palate volunteer missions (Goldstein), 517
Creating long-term benefits in cleft lip and palate volunteer missions (Silver), 516
Criss-cross scoring of postburn necrotic tissue (Silfen et al.), 510
Current trends in breast reduction (Linderman), 512
Customizing bone anchors (Nevarre and Skoff), 231
Deaths associated with liposuction (Berg), 1211
Delayed reactivation of herpes simplex virus infection after facial laser resurfacing (Johnson and Hollins), 743
Dermoid cyst on the auriculotemporal area (Samper et al.), 947
Desmoid tumor of the hand (Karacaoglan et al.), 954
The development of the distally based radial forearm flap in hand reconstruction with preservation of the radial artery (Chang and Hou), 955
Differential expression of matrix metalloproteinases and their tissue-derived inhibitors in cutaneous wound repair—a correction (Soo), 236
Diffuse microscopic intransit metastases from malignant melanoma of the breast (Kurul), 513
Digital documentation and the enigma of the TTL macroflash (LeLacure), 1433
Double internal jugular vein (Muñoz Guerra et al.), 1434
Ear reconstruction supported by a stereolithographic model (Staudenmaier et al), 511
The effect of Betadine on silicone implants (Becker and Becker), 1665
Effects of nerve growth factor on nerve regeneration through a vein graft across a gap (Meek et al.), 1227
Endoscopic carpal tunnel release instruments used for auricular cartilage scoring and correcting a flattened antihelix (Nevarre et al.), 1214
Everting the nipple (Massimo), 736. Reply by Peled, 737
Exogenous growth factors and cytokines in tendon surgery (Quatra et al.), 502. Reply by Rohrich, 503
External ultrasonic lipoplasty (Lineaweaver), 1428. Reply by Rosenberg, 1429
Eyelid crutches for ptosis: a forgotten solution (Lapid et al.), 1213
Facial palsy after abdominal liposuction (Denkler), 945
Fat necrosis after a transverse rectus abdominis myocutaneous flap? How about massage? (Amir et al.), 1216
Frontal sinus expansion from an uncommon cause (Sengezer and Duman), 951
Frontalis musculocutaneous island flap for coverage of forehead defect (Kayıkçıoğlu), 1212. Reply by Guerrerosantos, 1212
The future of liposuction and fat (Shiffman), 505. Reply by Hoefflin, 505
Hospital-acquired pressure ulcers: an epidemic (Baeke), 945
How to deal with the umbilical stalk during abdominoplasty (Nahas), 1220
The Internet: a new friend to plastic surgeons (El-Shazly and Maiwald), 235
Intranasal Kirschner wire splinting of nasal fractures (Park and Iwasaki), 952. Reply by Burm, 952
Ischemia-reperfusion injury: a multicellular phenomenon (Andrews et al.), 1664
Latissimus dorsi myocutaneous flap reconstruction of neck and axillary burn contractures (Agarwal and Chandra), 1216
Levator aponeurosis has dynamic insertion (Siegel), 735
Lid loading with gold for upper lid paralysis (Jobe), 735
Liposuction with standing technique (Shiffman), 1659
Long-term complications of facial injections with Restylane (injectable hyaluronic acid) (Shafir et al.), 1215
Lymphatic mapping and sentinel lymph node basin after sentinel lymph node biopsy for melanoma (Wagner), 515
Lymphatic mapping and sentinel lymph node biopsy in patients with melanoma of the lower extremity (Hettiaratchy et al.), 734
Maintaining the privacy of patients (Dini and Ferreira), 516
Management of hyperkeratosis of areola (Lambiris), 736
Massive localized lymphedema of suprapubic origin (Barr), 1663
A method for developing individualized Wise keyhole patterns: an aid in reduction mammaplasty for asymmetric breast (Erk and Kayıkçıoğlu), 226
Nerve-guiding technique for cross-face nerve grafting in facial paralysis (Kubo et al.), 734

A new concept for the management of postburn contractures (Prakash), 233
A new dyeing method to facilitate dissection (Manavbaşı and Kayıkçıoğlu), 518
New problems in precertifying breast reduction surgery (Smoot), 954
A nonanimal model for microsurgical training with adventitial stripping (Hosnuter et al.), 958
Orf (erythema contagiosum): an occasional diagnostic challenge (Inceoglu), 733
Paraspinous muscle hemorrhage as a potential source of liposuction mortality (Buescher), 740
Partial-thickness sponge dressing of facial skin grafts (Cohen and Organek), 509
Patient selection in cosmetic surgery (Grossman), 960
Pericardial effusion masquerading as a seroma of the rectus abdominis donor site: the expanding array of its potential morbidity (Hallock), 740
Plastic surgery at the turn of the century (Cooper), 959
Plastic surgery of the face in Byzantium in the fourth century (Lascaratos et al.), 517
Polyurethane film (OpSite) for superficial fingertip avulsion injuries (Shabat et al.), 512
A practical method of sterile draping (Eroğlu et al.), 220
Preparing liposuction patients at home preoperatively by scrub-showering (Zandi), 219
Preputial neurofibroma with hypospadias (Ertas et al.), 957
Primum non nocere (Peled), 960
Prof. Halit Ziya Konuralp: pioneer in plastic and reconstructive surgery in Turkey (Baran), 1434
Protecting hand splints (Kim et al.), 1220
Protective effect of chili against autocannibalism (Manavbaşı and Kayıkçıoğlu), 519
Radial forearm osteocutaneous flap for head and neck reconstruction (Butterworth and Butler), 1425. Reply by Thoma et al.), 1425
A rare complication of circumcision: concealed penis (Yıldırım et al.), 1662
Reducing the hazard of burns from bovie pads (Man), 947
Rejuvenation of the midface (McKinney), 944. Reply by Little, 944
Repair of tips of microforceps (Karamürsel et al.), 1224
Replantation of great and second toes: a worthwhile effort (Sabapathy et al.), 229
Replanted scalp recovers normal sensation without nerve anastomosis (Ueda et al.), 1651
Resurfacing arthroplasty for metacarpophalangeal joint osteoarthritis: a good option using either perichondrium or extensor retinaculum (Netscher et al.), 1430
Role of large superficial veins in distally based flaps of the extremities (Chang and Hou), 230
The role of sclerotherapy in abnormal varicose hand veins (Lee), 227. Reply by Duffy, 228
The running tie-over dressing (Pelissier et al.), 1436
Silicone gel implant capsules and *Chlamydia* antigens (Peters et al.), 225
Simple suction device for autologous epidermal grafting (Burm), 1225
Simple technique for immobilization of axilla for grafting (Wong), 740
Simplifying liposuction preparation (Hoefflin and Rubin), 1427
Soft-tissue reconstruction following debridement for chronic osteomyelitis of the lower limb (Ragoowansi and Powell), 503. Reply by Arnold et al., 504
Spear fishing: pearls in repositioning facial soft tissue (Hoefflin and Rubin), 1427
A splint design for postoperative prominent ear retraction (Karamürsel et al.), 219
Split-thickness skin graft fixation with surgical drape (Yenidünya et al.), 1429
Successful radial forearm free flap for facial reconstruction in a 97-year-old patient (Talbi et al.), 1656
Suction mammaplasty: the use of suction lipectomy to reduce large breasts (Baker), 227
The superdry technique for lipoplasty of the leg and the no-touch technique for autologous fat transplantation (Karacalar and Özcan), 738. Reply by Mladick, 739
A surgical technique for the correction of all types of prominent ears? (Corchado and Infante), 948. Reply by Spira, 950
Syllogism in plastic surgery (Taylor), 234
Symptomatic macromastia in a patient with Poland syndrome (Martin and Emory), 221
Tissue adhesives: more than just a sticky situation (Kim et al.), 1226
TRAM delay by embolization of the deep inferior epigastric arteries (Skoll), 1660. Reply by Scheufler, 1660
Treating seromas (Baeke), 1224
Treatment of the aging midface (Ramirez), 1653. Reply by Little, 1655
Tumescence: a valuable adjunct for the excision of facial hemangiomas (Silfen et al.), 217
Umbilical transposition: an unnecessary step (Mukerji), 1221
Use of a surgical ruler intraoperatively to stabilize the everted upper lid (Sharma et al.), 1426
Use of preputium as a skin graft (Yıldırım et al.), 1661
Use of the composite auricular graft as an internal splint in facially scarred burn patients (Karacalar), 742
Use of the one-finger glove for rat anesthesia (Gürünlüoğlu et al.), 518
Use of the stoma bag in a patient with buttock burn (Genç and Ergün), 1222
The use of transfixion mattress sutures to stabilize spreader grafts (Samper), 1440
Warning about anatomical breast implants (Baeke), 740
W.I.N.: What's in a name? (Matarasso), 961
Wooden skewers are cheap, effective, versatile, and safe instruments for the preoperative marking of skin incision lines (O'Boyle), 232
A wound after contact between a child and a dog does not necessarily mean an animal bite (Yenidünya et al.), 1227
Zoster following immediate transverse rectus abdominis myocutaneous breast reconstruction (Skoll and Hudson), 1218

Levator aponeurosis
disinsertion from tarsus in growing children (Sultana et al.), 563
dynamic insertion of *(Letters)*, 735

Lidocaine, plasma concentrations of monoethylglycinexylidide during and after breast augmentation (Rygnestad and Samdal), 728

Ligaments, repair of collateral ligament injuries of thumb metacarpophalangeal joint (McCall and Roth), 657

Lip
AlloDerm lip augmentation *(Letters)*, 953
congenital isolated absence of nasal columella: reconstruction with internal nasal vestibular skin flap and bilateral labial mucosa flaps (Mavili and Akyürek), 393
lip reconstruction following Mohs' surgery (Godek et al.), 798
lip scars camouflaged using microhair transplantation on male patients (Kılıç et al.), 1340
surgical treatment of senile upper lip (Guerrissi), 938

Lipomas
minimally invasive approach to familial multiple lipomatosis (Ronan and Broderick), 878
'ring' lipoma causing extensor tenosynovitis (Sharma et al.), 1072

Lipoplasty
abdominal dermolipectomies: early postoperative complications and long-term unfavorable results (Chaouat et al.), 1614. Discussion by Matarasso, 1619
external ultrasonic *(Letters)*, 1428
superdry technique for lipoplasty of leg and no-touch technique for autologous fat transplantation *(Letters)*, 738

Liposuction
as adjunct to full abdominoplasty revisited (Matarasso), 1197. Discussion by Baroudi, 1203. Discussion by Shestak, 1205
buried penis release in adults with suction lipectomy and abdominoplasty (Adham et al.), 840
deaths associated with *(Letters)*, 1211
effects of traditional and ultrasonic liposuction on adipose tissue (Grippaudo et al.), 197
facial palsy after abdominal liposuction *(Letters)*, 945
future of liposuction and fat *(Letters)*, 505
hearing and ultrasound-assisted liposuction: effect on surgeon and patient (Kenkel et al.), 150. Discussion by Roland, 154
paraspinous muscle hemorrhage as potential source of liposuction mortality *(Letters)*, 740
preparing liposuction patients at home preoperatively by scrub-showering *(Letters)*, 219
simplifying liposuction preparation *(Letters)*, 1427
with standing technique *(Letters)*, 1659
suction mammaplasty: the use of suction lipectomy to reduce large breasts *(Letters)*, 227
toxic shock syndrome after suction lipectomy (Umeda et al.), 204. Discussion by Mladick, 208
Lower extremity. *See* Extremities; Foot and ankle
Lymphatics
lymphatic mapping and sentinel lymph node basin after sentinel lymph node biopsy for melanoma *(Letters)*, 515
lymphatic mapping and sentinel lymph node biopsy in patients with melanoma of lower extremity *(Letters)*, 734
massive localized lymphedema of suprapubic origin *(Letters)*, 1663

M

Macromastia, symptomatic, in patient with Poland syndrome *(Letters)*, 221
Magnetic resonance imaging, surgical treatment of brachial plexus injuries in adults (Terzis and Papakonstantinou), 1097 *(CME)*
Malarplasty, reduction, through intraoral incision (Kim and Seul), 1514
Male-to-female transsexuals, secondary corrections of vulva in (Hage et al.), 350
Mammaplasty
augmentation
dispelling myths and misconceptions about transumbilical breast augmentation (Dowden), 190. Discussion by Baccari, 195
evaluating breast parenchymal maldistribution with regard to mastopexy and augmentation mammaplasty (Brink), 491
plasma concentratons of monoethylglycinexylidide during and after (Rygnestad and Samdal), 728
ransumbilical endoscopic breast augmentation: submammary and subpectoral (Caleel), 1177. Discussion by Dowden, 1183
evaluation of results in aesthetic plastic surgery: preliminary observations on mammaplasty (Ferreira), 1630. Discussion by Losken and Bostwick, 1636. Discussion by Spear, 1639
reduction
aesthetic results and patient satisfaction with bilateral breast reduction using inferior pedicle and McKissock's vertical bipedicle dermal flap techniques (Ramon et al.), 289. Discussion by Ruberg, 296
avoiding teardrop-shaped nipple-areola complex in vertical mammaplasty *(Letters)*, 1217
breast cancer following, in Sweden (Boice et al.), 755
coincidental breast carcinoma detection in specimens from *(Letters)*, 1219
current trends *(Letters)*, 512
formula for surgical modifications of breast (Brown et al.), 1342
long-term improvement in health status and quality of life (Blomqvist et al.), 991
method for developing individualized Wise keyhole patterns: aid in reduction mammaplasty for asymmetric breast *(Letters)*, 226
new problems in precertifying breast reduction surgery *(Letters)*, 954
relationship of obesity and specimen weight to complications (Zubowski et al.), 998
secondary: safety of using different pedicle (Losee et al.), 1004. Discussion by Spear, 1009
use of suction lipectomy to reduce large breasts *(Letters)*, 227
Managed care
rise and fall: a morality play for free marketeers *(Editorial)*, 1642
woe for HMO *(Editorial)*, 500
Mandible
augmentation (Yaremchuk), 697
course of inferior alveolar nerve in normal human mandibular ramus and in patients presenting for cosmetic reduction of mandibular angles (Kane et al.), 1162. Discussion by Persing, 1175
double-paddle peroneal tissue transfer for oromandibular reconstruction (Yang et al.), 47
innovative technique for fixing costochondral grafts *(Letters)*, 1658
mandibular matrix implant system to restore skeletal support to lower face (Ramirez), 176
Marzoni, Francis Anthony *(Obituary)*, 1647
Massage, for fat necrosis after TRAM flap, 1216
Mastectomy, geographic variation in postmastectomy breast reconstruction rates (Polednak), 298
Mastopexy, evaluating breast parenchymal maldistribution with regard to mastopexy and augmentation mammaplasty (Brink), 491
Maxilla
biological arches and changes to curvilinear form of aging maxilla (Zadoo and Pessa), 460. Discussion by Bartlett, 467
premaxillary augmentation: adjunct to rhinoplasty (Fanous and Yoskovitch), 707
Maxillofacial surgery, what's in a name? (Borah), 1418
McKissock's vertical bipedicle dermal flap technique, aesthetic results and patient satisfaction with bilateral breast reduction using inferior pedicle technique and (Ramon et al.), 289. Discussion by Ruberg, 296
Median nerve
arteriovenous malformation of persistent median artery with bifurcated median nerve (Gutowski et al.), 1336
flexor tendinitis and median nerve compression caused by gout in patient with rheumatoid arthritis (Weinzweig et al.), 1570
Medical education. *See also* Continuing Medical Education
Internet: new friend to plastic surgeons *(Letters)*, 235
training next generation of plastic surgeons (Rohrich), 1125
Melanoma
angiogenesis in primary tumor cells of metastatic and nonmetastatic malignant melanoma *(Letters)*, 514
cutaneous, current practice of patient follow-up after potentially curative resection of (Virgo et al.), 590
diffuse microscopic intransit metastases from malignant melanoma of breast *(Letters)*, 513
early-stage penile, conservative treatment of *(Letters)*, 1221
lymphatic mapping and sentinel lymph node basin after sentinel lymph node biopsy for melanoma *(Letters)*, 515
lymphatic mapping and sentinel lymph node biopsy in patients with melanoma of lower extremity *(Letters)*, 734
Metacarpals, late reconstruction of two total metacarpal bone defects using lengthening devices and double-barrel osteocutaneous free parascapular flap (Masaki et al.), 102
Metacarpophalangeal joint
resurfacing arthroplasty for osteoarthritis of *(Letters)*, 1430

of thumb, repair of collateral ligament injuries of (McCall and Roth), 657
Metastatic disease
angiogenesis in primary tumor cells of metastatic and nonmetastatic malignant melanoma *(Letters)*, 514
diffuse microscopic intransit metastases from malignant melanoma of breast *(Letters)*, 513
Michigan Breast Reconstruction Outcome Study, psychosocial outcome (Wilkins et al.), 1014. Discussion by Cunningham, 1026
Microsurgery
complications and functional results after total glossectomy with microvascular reconstruction (Kimata et al.), 1028
limb salvage of lower-extremity wounds using free gracilis muscle reconstruction (Redett et al.), 1507
microvascular transplantation of rat submandibular gland (Spiegel et al.), 1326
new microsurgical breast reconstruction using free paraumbilical perforator adiposal flaps (Koshima et al.), 61
nonanimal model for microsurgical training with adventitial stripping *(Letters)*, 958
repair of tips of microforceps *(Letters)*, 1224
use of vascular closure staple clip applier for microvascular anastomosis in free-flap surgery (Cope et al.), 107
Microtia. *See also* Ear
Chiba University chronology for total ear reconstruction *(Letters)*, 218
subfascial expansion and expanded two-flap method for + reconstruction of (Park), 1473
Migraine, corrugator supercilii muscle resection and (Guyuron et al.), 429. Discussion by Unwin, 435. Discussion by Knize, 436
Millard technique, widening of scars (Wilson), 1488
Möbius syndrome, facial animation in children with, after segmental gracilis muscle transplant (Zuker and Manktelow), 1. Discussion by Harrison, 9
Mohs' surgery, lip reconstruction following (Godek et al.), 798
Monoethylglycinexylidide, plasma concentrations during and after breast augmentation (Rygnestad and Samdal), 728
Mortality
deaths associated with liposuction *(Letters)*, 1211
paraspinous muscle hemorrhage as potential source of liposuction mortality *(Letters)*, 740
Mouth. *See also* Lip
dermabrasion vs. CO_2 laser resurfacing for perioral wrinkles (Kitzmiller et al.), 1366. Discussion by Stuzin et al., 1373
double-paddle peroneal tissue transfer for oromandibular reconstruction (Yang et al.), 47
efficacy of preoperative decontamination of oral cavity *(CME)* (Summers et al.), 895
optimal timing of cleft palate closure *(CME)* (Rohrich et al.), 413. Discussion by Kirschner and Bartlett, 423
treatment of hypoglossia-hypodactyly syndrome without extremity anomalies (Yamada et al.), 274
Muscle. *See also* specific muscles
evaluation of end-to-side neurorrhaphy for muscle reinnervation (Giovanoli et al.), 383
facial animation in children with Möbius syndrome after segmental gracilis muscle transplant (Zuker and Manktelow), 1. Discussion by Harrison, 9
limb salvage of lower-extremity wounds using free gracilis muscle reconstruction (Redett et al.), 1507
temporalis muscle hypertrophy: new plastic surgery procedure (Morselli), 1156
use of latissimus dorsi muscle to restore elbow flexion in arthrogryposis (Gagnon et al.), 1582
Muscle flaps
bipedicle paraspinous muscle flaps for spinal wound closure (Wilhelmi et al.), 1305
formation of philtral column using vertical interdigitation of orbicularis oris muscle flaps in secondary cleft lip (Cho and Baik), 980
improved perfusion after subcritical ischemia in muscle flaps treated with vascular endothelial growth factor (Banbury et al.), 1541
inferiorly based gastrocnemius muscle flap (Tsetsonis et al.), 1312
modified autogenous latissimus breast reconstruction and box top nipple (Horn et al.), 763
sensitivity of breasts reconstructed with autologous latissimus dorsi flap (Delay et al.), 302. Discussion by Dellon, 310
Myocutaneous flaps
fat necrosis in free transverse rectus abdominis myocutaneous and deep inferior epigastric perforator flaps (Kroll), 576
frontalis musculocutaneous island flap for coverage of forehead defect *(Letters)*, 1212
immediate free TRAM reconstruction in lumpectomy and radiation failure patients (Moran et al.), 1527
latissimus dorsi myocutaneous flap reconstruction of neck and axillary burn contractures *(Letters)*, 1216
massage for fat necrosis after TRAM flap *(Letters)*, 1216
postoperative adjuvant irradiation: effects on transverse rectus abdominis muscle flap breast reconstruction (Tran et al.), 313. Discussion by Bostwick, 318
refinements in TRAM flap breast reconstruction: projection and contour improvements (Charanek et al.), 1262. Discussion by May, 1273
salvage of TRAM flaps with compromised venous outflow (Caplin et al.), 400
TRAM delay by embolization of deep inferior epigastric arteries *(Letters)*, 1660

N

National Plastic Surgery Survey, face lift techniques and complications (Matarasso et al.), 1185. Discussion by Barton, 1196
Neck
anterior cervicoplasty in male patient (Gradinger), 1146. Discussion by Biggs, 1155
double internal jugular vein *(Letters)*, 1434
latissimus dorsi myocutaneous flap reconstruction of neck and axillary burn contractures *(Letters)*, 1216
Nerve compression
flexor tendinitis and median nerve compression caused by gout in patient with rheumatoid arthritis (Weinzweig et al.), 1570
management of cubital tunnel syndrome: meta-analysis (Mowlavi et al.), 327
Nerve palsy
facial palsy after abdominal liposuction *(Letters)*, 945
predictive value of computed tomographic myelography in obstetrical brachial plexus palsy (Chow et al.), 971. Discussion by Slooff and Versteege, 978
restoration of elbow flexion after brachial plexus injury: role of nerve and muscle transfers *(CME)* (Gutowski and Orenstein), 1348. Discussion by Van Beek, 1359
surgical treatment of brachial plexus injuries in adults (Terzis and Papakonstantinou), 1097 *(CME)*
Nerves
arteriovenous malformation of persistent median artery with bifurcated median nerve (Gutowski et al.), 1336
Chiari malformation, cervical spine anomalies, and neurologic deficits in velocardiofacial syndrome (Hultman et al.), 16
course of inferior alveolar nerve in normal human mandibular ramus and in patients presenting for cosmetic reduction of mandibular angles (Kane et al.), 1162. Discussion by Persing, 1175
effect of nerve growth factor on nerve regeneration through a vein graft across a gap *(Letters)*, 1227
evaluation of end-to-side neurorrhaphy for muscle reinnervation (Giovanoli et al.), 383

nerve-guiding technique for cross-face nerve grafting in facial paralysis *(Letters)*, 734
polyglycolic acid conduits for digital nerve reconstruction (Weber et al.), 1036. Discussion by Lundborg, 1046
replanted scalp recovers normal sensation without nerve anastomosis *(Letters)*, 1651
results of decompression of peripheral nerves in diabetics (Aszmann et al.), 816
treatment of diabetic neuropathy by decompression of posterior tibial nerve (Caffee), 813
treatment of finger avulsion injuries with innervated arterialized venous flaps (Takeuchi et al.), 881
Neurofibroma, preputial, with hypospadias *(Letters)*, 957
Nevi, complex facial: surgical algorithm (Gur and Zuker), 25
Nipple-areola complex
classification of inverted nipples *(Letters)*, 737
everting the nipple *(Letters)*, 736
management of hyperkeratosis of areola *(Letters)*, 736
modified autogenous latissimus breast reconstruction and box top nipple (Horn et al.), 763
teardrop-shaped, avoiding in vertical mammaplasty *(Letters)*, 1217
Nonsurgical delay, clamp delay: effective new method (Macionis), 1321
Nose
combined conchal cartilage-ethmoid bone grafts in nasal surgery (Neu), 171
congenital isolated absence of nasal columella: reconstruction with internal nasal vestibular skin flap and bilateral labial mucosa flaps (Mavili and Akyürek), 393
dynamic rhinoplasty for plunging nasal tip: functional unity of inferior third of nose (Sainz-Arregui et al.), 1624
fracture management: minimizing secondary nasal deformities (Rohrich and Adams), 266
guarded burr for deepening of nasofrontal junction (Guyuron), 1417
Guastella/Mantovani septal-valve splint: intranasal biplanar and multivectorial orthopedic device (Mantovani et al.), 475
intranasal Kirschner wire splinting of nasal fractures *(Letters)*, 952
management of bulbous nose (McKinney), 906. Discussion by Gruber, 918
nasal reconstruction based on aesthetic subunits in Orientals (Yotsuyanagi et al.), 36. Discussion by Burget, 45
nasal tip blood supply: confirming the safety of the transcolumellar incision in rhinoplasty (Rohrich et al.), 1640
premaxillary augmentation: adjunct to rhinoplasty (Fanous and Yoskovitch), 707
primary correction of unilateral cleft nasal deformity (Byrd and Salomon), 1276
segmental bone and cartilage reconstruction of major nasal dorsal defects (Neu), 160
true hanging columella: simplified diagnosis and treatment using modified direct approach (Matarasso et al.), 469
use of resorbable spacers for nasal spreader grafts (Stal and Hollier), 922. Discussion by Byrd, 929. Discussion by Eppley, 930

O

Obesity, relationship of obesity and specimen weight to complications in reduction mammaplasty (Zubowski et al.), 998
Obituary, Francis Anthony Marzoni, 1647
Obstetrical injuries
outcome of Erb's palsy when decision to operate is made at 4 months of age (Al-Qattan), 1461
predictive value of computed tomographic myelography in obstetrical brachial plexus palsy (Chow et al.), 971. Discussion by Slooff and Versteege, 978
Omental flap, preservation of digital osteotendinous structure with (Iglesias et al.), 1062
OpSite, polyurethane film for superficial fingertip avulsion injuries *(Letters)*, 512
Oral cancer
complications and functional results after total glossectomy with microvascular reconstruction (Kimata et al.), 1028
double-paddle peroneal tissue transfer for oromandibular reconstruction (Yang et al.), 47
surgical closure of oropharyngocutaneous fistulas (Olasz et al.), 1577
Oral procedures
advances in head and neck reconstruction *(CME)* (Gurtner and Evans), 672
double-paddle peroneal tissue transfer for oromandibular reconstruction (Yang et al.), 47
efficacy of preoperative decontamination of oral cavity *(CME)* (Summers et al.), 895
reduction malarplasty through intraoral incision (Kim and Seul), 1514
Orbicularis oculi muscle, laser blepharoplasty with transconjunctival orbicularis muscle/septum tightening and periocular skin resurfacing (Seckel et al.), 1127. Discussion by Roberts, 1142
Orbicularis oris muscle flaps, formation of philtral column using vertical interdigitation of, in secondary cleft lip (Cho and Baik), 980
Orf (ecthyma contagiosum), occasional diagnostic challenge *(Letters)*, 733
Oriental persons
endoscope-assisted calf reduction in (Kim et al.), 713. Discussion by Mladick, 719
nasal reconstruction based on aesthetic subunits in (Yotsuyanagi et al.), 36. Discussion by Burget, 45
rice cooker steam hand burn in the pediatric patient (Roh et al.), 76
secondary correction of unsatisfactory blepharoplasty (Kim et al.), 1399. Discussion by Carraway, 1405
Osler, Sir William, heritage of (Towpik), 1586
Ossification, immature vs. mature dura mater: differential expression of genes important to calvarial reossification (Greenwald et al.), 630. Discussion by Maxson, 639
Osteoarthritis, of metacarpophalangeal joint, resurfacing arthroplasty for *(Letters)*, 1430
Osteochondral reconstruction, of non–weight-bearing joint using high-density porous polyethylene implant (Weinzweig et al.), 1547
Osteocutaneous flaps
late reconstruction of two total metacarpal bone defects using lengthening devices and double-barrel osteocutaneous free parascapular flap (Masaki et al.), 102
radial forearm osteocutaneous flap for head and neck reconstruction *(Letters)*, 1425
Osteogenesis
in cranial defects: concept of critical size and expression of TGF-β isoforms (Gosain et al.), 360. Discussion by Hollinger, 372
craniofacial shortening by contraction osteogenesis: experimental model *(Letters)*, 1657
Osteomyelitis, chronic, of lower limb, soft-tissue reconstruction following debridement for *(Letters)*, 503
Otoplasty. *See* Ear
Outcome
complications and functional results after total glossectomy with microvascular reconstruction (Kimata et al.), 1028
evaluation of results in aesthetic plastic surgery: preliminary observations on mammaplasty (Ferreira), 1630. Discussion by Losken and Bostwick, 1636. Discussion by Spear, 1639
factors affecting outcome in free-tissue transfer in elderly (Serletti et al.), 66
palatal length in cleft palate as predictor of speech outcome (Randall et al.), 1254. Discussion by Cutting, 1260
psychosocial outcome in breast reconstruction (Wilkins et al.), 1014. Discussion by Cunningham, 1026

reduction mammaplasty provides long-term improvement in health status and quality of life (Blomqvist et al.), 991
Oxygenation, hyperbaric, effect on viability of human fat injected into nude mice (Shoshani et al.), 1390. Discussion by Chao and Brown, 1397

P

Palate, cleft. *See* Cleft lip/palate
Palmar fascia
Dupuytren's disease *(CME)* (Saar and Grothaus), 125
racial distribution of Dupuytren's disease in Department of Veterans Affairs patients (Saboeiro et al.), 71
Paralysis
lid loading with gold for upper lid paralysis *(Letters)*, 735
nerve-guiding technique for cross-face nerve grafting in facial paralysis *(Letters)*, 734
outcome of Erb's palsy when decision to operate is made at 4 months of age (Al-Qattan), 1461
predictive value of computed tomographic myelography in obstetrical brachial plexus palsy (Chow et al.), 971. Discussion by Slooff and Versteege, 978
restoration of elbow flexion after brachial plexus injury: role of nerve and muscle transfers *(CME)* (Gutowski and Orenstein), 1348. Discussion by Van Beek, 1359
surgical treatment of brachial plexus injuries in adults (Terzis and Papakonstantinou), 1097 *(CME)*
Paranasal sinuses, frontal sinus expansion from uncommon cause *(Letters)*, 951
Paraspinous muscle flaps, bipedicle, for spinal wound closure (Wilhelmi et al.), 1305
Paraspinous muscle hemorrhage, as potential source of liposuction mortality *(Letters)*, 740
Paraumbilical perforator adiposal flaps, new microsurgical breast reconstruction using free paraumbilical perforator adiposal flaps (Koshima et al.), 61
Patients
aesthetic results and patient satisfaction with bilateral breast reduction using inferior pedicle and McKissock's vertical bipedicle dermal flap techniques (Ramon et al.), 289. Discussion by Ruberg, 296
authorization for patient photographs *(Editorial)*, 1206
cosmetic surgery and patients who smoke: should we operate? (Rohrich), 137
determinants of patient satisfaction in postmastectomy breast reconstruction (Alderman et al.), 769
effects of fellow patients on emotional well-being and satisfaction with care of postoperative cosmetic surgery patients (Kulik et al.), 1407. Discussion by Goldwyn, 1415
hearing and ultrasound-assisted liposuction: effect on surgeon and patient (Kenkel et al.), 150. Discussion by Roland, 154
maintaining privacy of *(Letters)*, 516
patient acceptance of adequately filled breast implants using tilt test (Tebbetts), 139. Discussion by Dowden, 148
patient selection in cosmetic surgery *(Letters)*, 960
privacy: wanted or unwanted? *(Editorial)*, 214
who, what, when, and why of cosmetic surgery: do our patients need a preoperative psychiatric evaluation? (Rohrich), 1605
Pediatric patients
acute squamous cell carcinoma arising within recent burn scar in 14-year-old boy (Love and Breidahl), 1069
bicycle spoke injuries in lower extremity (Mine et al.), 1501
Chiari malformation, cervical spine anomalies, and neurologic deficits in velocardiofacial syndrome (Hultman et al.), 16
Chiba University chronology for total ear reconstruction *(Letters)*, 218
complex facial nevi: surgical algorithm (Gur and Zuker), 25
disinsertion of levator aponeurosis from tarsus in growing children (Sultana et al.), 563
facial animation in children with Möbius syndrome after segmental gracilis muscle transplant (Zuker and Manktelow), 1. Discussion by Harrison, 9
outcome of Erb's palsy when decision to operate is made at 4 months of age (Al-Qattan), 1461
psychological adjustment in children after traumatic disfiguring injuries (Rusch et al.), 1451. Discussion by Pope, 1459
rare complication of circumcision: concealed penis *(Letters)*, 1662
rice cooker steam hand burn in (Roh et al.), 76
use of latissimus dorsi muscle to restore elbow flexion in arthrogryposis (Gagnon et al.), 1582
use of preputium as skin graft *(Letters)*, 1661
a wound after contact between a child and a dog does not necessarily mean an animal bite *(Letters)*, 1227
Penis
buried penis release in adults with suction lipectomy and abdominoplasty (Adham et al.), 840
conservative treatment of early-stage penile melanoma *(Letters)*, 1221
preputial neurofibroma with hypospadias *(Letters)*, 957
rare complication of circumcision: concealed penis *(Letters)*, 1662
use of preputium as skin graft *(Letters)*, 1661
Perforator flaps
deep inferior epigastric perforator dermal-fat or adiposal flap for correction of craniofacial contour deformities (Koshima et al.), 10
fat necrosis in free transverse rectus abdominis myocutaneous and deep inferior epigastric perforator flaps (Kroll), 576
new microsurgical breast reconstruction using free paraumbilical perforator adiposal flaps (Koshima et al.), 61
tensor fasciae latae perforator flap for reconstruction of composite Achilles tendon defects with skin and vascularized fascia (Deiler et al.), 342
Pericardial effusion, masquerading as seroma of rectus abdominis donor site *(Letters)*, 741
Peripheral neuropathy
results of decompression of peripheral nerves in diabetics (Aszmann et al.), 816
treatment of diabetic neuropathy by decompression of posterior tibial nerve (Caffee), 813
Peritoneal flap, clinical applications of posterior rectus sheath-peritoneal free flap (Salgado et al.), 321
Peroneal tissue transfer, double-paddle, for oromandibular reconstruction (Yang et al.), 47
Pharyngocutaneous fistula, repair with fasciocutaneous island flap pedicled on superficial temporalis artery (Fabrizio et al.), 1573
Philtral column, formation using vertical interdigitation of orbicularis oris muscle flaps in secondary cleft lip (Cho and Baik), 980
Photography
authorization for patient photographs *(Editorial)*, 1206
converting to digital photography: model for large group or academic practice (Galdino et al.), 119
digital documentation and enigma of TTL macroflash *(Letters)*, 1433
Plastic surgeons
in American hand surgery (Chang et al.), 406
blowing in the wind *(Letters)*, 1439
communication by e-mail (Allert et al.), 660
hearing and ultrasound-assisted liposuction: effect on surgeon and patient (Kenkel et al.), 150. Discussion by Roland, 154
heritage of Sir William Osler: is there a message to plastic surgeons? (Towpik), 1586
Internet: new friend to *(Letters)*, 235
it's not how you say it but what you say *(Editorial)*, 1421
a modest proposal *(Editorial)*, 214

paradigm shift for plastic surgeons: no longer focusing on excising skin excess *(Editorial)*, 497
primum non nocere *(Letters)*, 960
training next generation of (Rohrich), 1125
why be responsible if you can avoid it? *(Editorial)*, 732
Plastic surgery
1927 view of *(Letters)*, 1211
increasing popularity of cosmetic surgery procedures (Rohrich), 1363
plastic versus cosmetic surgery: what's the difference (Rohrich), 427
syllogism in *(Letters)*, 234
at turn of century *(Letters)*, 959
W.I.N.: what's in a name? *(Letters)*, 961
Platelet-derived growth factor, as adjunct to surgery for pressure ulcers (Kalliainen et al.), 1243
Platysma muscle, anterior cervicoplasty in male patient (Gradinger), 1146. Discussion by Biggs, 1155
Pneumocele, frontal sinus expansion from uncommon cause *(Letters)*, 951
Poland syndrome, symptomatic macromastia in patient with *(Letters)*, 221
Polyglycolic acid conduits for digital nerve reconstruction (Weber et al.), 1036. Discussion by Lundborg, 1046
Posterior rectus sheath-peritoneal free flap, clinical applications (Salgado et al.), 321
Precertifying breast reduction surgery, new problems in *(Letters)*, 954
Preoperative procedures
preparing liposuction patients at home preoperatively by scrub-showering *(Letters)*, 219
wooden skewers for preoperative marking of skin incision lines *(Letters)*, 232
Presidential address, Maxillofacial: what's in a name? (Borah), 1418
Pressure ulcers
hospital-acquired *(Letters)*, 945
platelet-derived growth factor as adjunct to surgery for (Kallianinem et al.), 1243
Privacy
authorization for patient photographs *(Editorial)*, 1206
maintaining privacy of patients *(Letters)*, 516
wanted or unwanted? *(Editorial)*, 214
Progesterone receptors, and estrogen receptors in gynecomastia (Pensler et al.), 1011
Prostheses. *See* Implants and prostheses
Psychological issues
effects of fellow patients on emotional well-being and satisfaction with care of postoperative cosmetic surgery patients (Kulik et al.), 1407. Discussion by Goldwyn, 1415
psychological adjustment in children after traumatic disfiguring injuries (Rusch et al.), 1451. Discussion by Pope, 1459
who, what, when, and why of cosmetic surgery: do our patients need a preoperative psychiatric evaluation? (Rohrich), 1605
Psychosocial issues
measuring health state preferences in women with breast hypertrophy (Kerrigan et al.), 280
psychosocial outcome in breast reconstruction (Wilkins et al.), 1014. Discussion by Cunningham, 1026
reduction mammaplasty provides long-term improvement in health status and quality of life (Blomqvist et al.), 991

Q

Quality of life
measuring health state preferences in women with breast hypertrophy (Kerrigan et al.), 280
reduction mammaplasty provides long-term improvement in health status and (Blomqvist et al.), 991

R

Racial distribution, of Dupuytren's disease in Department of Veterans Affairs patients (Saboeiro et al.), 71
Radiation therapy
after immediate breast reconstruction with implants (Vandeweyer and Deraemaecker), 56. Discussion by Young, 59
effect on skin expansion and skin flap viability in pigs (Dvali et al.), 624
effects of ionizing radiation of osteoblast-like cells in vitro (Dudziak et al.), 1049
immediate free TRAM reconstruction in lumpectomy and radiation failure patients (Moran et al.), 1527
postoperative adjuvant irradiation: effects on transverse rectus abdominis muscle flap breast reconstruction (Tran et al.), 313. Discussion by Bostwick, 318
Reanimation procedures, facial animation in children with Möbius syndrome after segmental gracilis muscle transplant (Zuker and Manktelow), 1. Discussion by Harrison, 9
Rectus abdominis muscle
abdominal sensibility after TRAM flap breast reconstruction (Spear et al.), 1300
determinants of patient satisfaction in postmastectomy breast reconstruction (Alderman et al.), 769
fat necrosis in free TRAM and deep inferior epigastric perforator flaps (Kroll), 576
immediate free TRAM reconstruction in lumpectomy and radiation failure patients (Moran et al.), 1527
massage for fat necrosis after TRAM flap *(Letters)*, 1216
pericardial effusion masquerading as seroma of rectus abdominis donor site *(Letters)*, 741
postoperative adjuvant irradiation: effects on TRAM flap breast reconstruction (Tran et al.), 313. Discussion by Bostwick, 318
refinements in TRAM flap breast reconstruction: projection and contour improvements (Charanek et al.), 1262. Discussion by May, 1273
salvage of TRAM flaps with compromised venous outflow (Caplin et al.), 400
TRAM delay by embolization of deep inferior epigastric arteries *(Letters)*, 1660
venous congestion and blood flow in free TRAM and deep inferior epigastric perforator flaps (Blondeel et al.), 1295
Reduction malarplasty, through intraoral incision (Kim and Seul), 1514
Rejuvenation, facial
evaluating rejuvenation of forehead and brow: algorithm for selecting appropriate technique (Matarasso and Hutchinson), 687. Discussion by Singer, 695
of midface *(Letters)*, 944
Replantation
bilateral leg amputation: crossover replantation and fillet flap coverage of stump after ectopic implantation (Kayıkçıoğlu et al.), 868
of great and second toes *(Letters)*, 229
Restylane, long-term complications of facial injections with *(Letters)*, 1215
Resurfacing arthroplasty, for metacarpophalangeal joint osteoarthritis *(Letters)*, 1430
Reviews
Arndt, K. A., Dover, J. S., Olbricht, S. M. *Lasers in Cutaneous and Aesthetic Surgery*;, 1209
Bertrand, C. A. *Expert Witness Takes a Stand*, 1423
Calne, R. *Art, Surgery and Transplantation*, 1648
Clemente, C. R. *Anatomy: A Regional Atlas of the Human Body, 4th Edition*, 216
Kron, J. *Lift: Wanting, Fearing, and Having a Facelift*, 1209
Lask, G. P., Lowe, N. J. *Lasers in Cutaneous and Cosmetic Surgery*, 1648

May, M., Skaltkin, B. M. *The Facial Nerve: May's Second Edition*, 1423
Middleton, G., and Pannbacker, M. *Cleft Palate and Related Disorders*, 216
Roberts, H. J. *Breast Implants or Aspartame (NutraSweet) Disease?*, 943
Selzer, R. *The Doctor Stories*, 501
Stevens, R. *American Medicine and the Public Interest, 2nd Edition*, 942
Weinzweig, J. *Plastic Surgery Secrets*, 501
Revision procedures
formation of philtral column using vertical interdigitation of orbicularis oris muscle flaps in secondary cleft lip (Cho and Baik), 980
secondary correction of unsatisfactory blepharoplasty (Kim et al.), 1399. Discussion by Carraway, 1405
secondary corrections of vulva in male-to-female transsexuals (Hage et al.), 350
secondary reduction mammaplasty: safety of using different pedicle (Losee et al.), 1004. Discussion by Spear, 1009
widening of scars: Millard technique (Wilson), 1488
Rheumatoid arthritis, flexor tendinitis and median nerve compression caused by gout in patient with (Weinzweig et al.), 1570
Rhinoplasty. *See* Nose
Rhytidectomy
combined with full-face laser resurfacing (Achauer et al.), 1608. Discussion by Guyuron, 1612
treatment of aging midface *(Letters)*, 1653
Rhytidoplasty
National Plastic Surgery Survey: face lift techniques and complications (Matarasso et al.), 1185. Discussion by Barton, 1196
right angle rhytidectomy flap (Schulman), 200
Rib grafts
in situ split costal cartilage graft harvesting through small incision using gouge (Ağaoğlu and Erol), 932. Discussion by Seifert, 936
innovative technique for fixing costochondral grafts *(Letters)*, 1658
segmental bone and cartilage reconstruction of major nasal dorsal defects (Neu), 160

S

Safety concerns
hearing and ultrasound-assisted liposuction: effect on surgeon and patient (Kenkel et al.), 150. Discussion by Roland, 154
reducing hazard of burns from bovie pads *(Letters)*, 947
secondary reduction mammaplasty: safety of using different pedicle (Losee et al.), 1004. Discussion by Spear, 1009
Salivary glands, microvascular submandibular gland transfer for severe cases of keratoconjunctivitis sicca (Sieg et al.), 554. Discussion by Pflugfelder, 561
Satisfaction with care
aesthetic results and patient satisfaction with bilateral breast reduction using inferior pedicle and McKissock's vertical bipedicle dermal flap techniques (Ramon et al.), 289. Discussion by Ruberg, 296
determinants of patient satisfaction in postmastectomy breast reconstruction (Alderman et al.), 769
effects of fellow patients on emotional well-being and satisfaction with care of postoperative cosmetic surgery patients (Kulik et al.), 1407. Discussion by Goldwyn, 1415
Scalp
advances in head and neck reconstruction *(CME)* (Gurtner and Evans), 672
histologic change of arteriovenous malformations of face and scalp after free flap transfer (Tark and Chung), 87
replanted scalp recovers normal sensation without nerve anastomosis *(Letters)*, 1651
sideburn reconstruction with arterial V-Y hair-bearing scalp flap after excision of basal cell carcinoma (Davis), 94
use of preputium as skin graft *(Letters)*, 1661
a wound after contact between a child and a dog does not necessarily mean an animal bite *(Letters)*, 1227
Scapula
angular branch of the thoracodorsal artery and its blood supply to the inferior angle of the scapula *(Letters)*, 223
combined use of flaps based on subscapular vascular system for unilateral facial deformities (Ugurlu et al.), 1079
Scarring
cellular signaling by tyrosine phosphorylation in keloid and normal human dermal fibroblasts (Chin et al.), 1532
lip scars camouflaged using microhair transplantation on male patients (Kılıç et al.), 1340
new technique of scarless expanded forehead flap for reconstructive surgery (Fan), 777
use of composite auricular graft as internal splint in facially scarred burn patients *(Letters)*, 742
widening of scars: Millard technique (Wilson), 1488
Sclerotherapy
role in abnormal varicose hand veins *(Letters)*, 228
treating seromas *(Letters)*, 1224
Sensation
abdominal sensibility after TRAM flap breast reconstruction (Spear et al.), 1300
facial sensibility testing (Posnick and Grossman), 892
polyglycolic acid conduits for digital nerve reconstruction (Weber et al.), 1036. Discussion by Lundborg, 1046
replanted scalp recovers normal sensation without nerve anastomosis *(Letters)*, 1651
sensitivity of breasts reconstructed with autologous latissimus dorsi flap (Delay et al.), 302. Discussion by Dellon, 310
Signal transduction, cellular signaling by tyrosine phosphorylation in keloid and normal human dermal fibroblasts (Chin et al.), 1532
Silicone
controlled trial of textured vs. smooth subglandular silicone gel breast implants (Collis et al.), 786
effect of Betadine on silicone implants *(Letters)*, 1665
recurrence of subglandular breast implant capsular contracture: anterior vs. total capsulectomy (Collis and Sharpe), 792
silicone gel implant capsules and *Chlamydia* antigens (Peters et al.), 225
Skin
cellular signaling by tyrosine phosphorylation in keloid and normal human dermal fibroblasts (Chin et al.), 1532
cutaneous blood vessels in scent pigs (Zhang et al.), 1555
orf (ecthyma contagiosum): occasional diagnostic challenge *(Letters)*, 733
paradigm shift for plastic surgeons: no longer focusing on excising skin excess *(Editorial)*, 497
venous drainage architecture of forearm skin and subcutaneous tissue (Imanishi et al.), 1287
Skin cancer
acute squamous cell carcinoma arising within recent burn scar (Love and Breidahl), 1069
angiogenesis in primary tumor cells of metastatic and nonmetastatic malignant melanoma *(Letters)*, 514
conservative treatment of early-stage penile melanoma *(Letters)*, 1221
current practice of patient follow-up after potentially curative resection of cutaneous melanoma (Virgo et al.), 590
diffuse microscopic intransit metastases from malignant melanoma of breast *(Letters)*, 513
giant basal cell carcinoma: T3 tumors without metastasis (Manstein et al.), 653
lymphatic mapping and sentinel lymph node basin after sentinel lymph node biopsy for melanoma *(Letters)*, 515
lymphatic mapping and sentinel lymph node biopsy in patients with melanoma of lower extremity *(Letters)*, 734

sideburn reconstruction with arterial V-Y hair-bearing scalp flap after excision of basal cell carcinoma (Davis), 94
Skin flaps
congenital isolated absence of nasal columella: reconstruction with internal nasal vestibular skin flap and bilateral labial mucosa flaps (Mavili and Akyürek), 393
double-paddle peroneal tissue transfer for oromandibular reconstruction (Yang et al.), 47
effect of radiation on skin expansion and skin flap viability in pigs (Dvali et al.), 624
thoughts on choosing a Z-plasty (Hudson), 665
Skin grafts
graft survival and effectiveness of dermal substitution in burns and reconstructive surgery in one-stage grafting model (van Zuijlen et al.), 615
improved tie-over dressing technique for skin grafts using hydrocellular dressing *(Letters)*, 507
partial-thickness sponge dressing of facial skin grafts *(Letters)*, 509
running tie-over dressing *(Letters)*, 1436
simple suction device for autologous epidermal grafting *(Letters)*, 1225
simple technique for immobilization of axilla for grafting *(Letters)*, 740
split-thickness skin graft fixation with surgical drape *(Letters)*, 1429
use of composite auricular graft as internal splint in facially scarred burn patients *(Letters)*, 742
use of preputium as skin graft *(Letters)*, 1661
Skin incisions. *See* Incisions
Skin resurfacing
combined rhytidectomy and full-face laser resurfacing (Achauer et al.), 1608. Discussion by Guyuron, 1612
delayed reactivation of herpes simplex virus infection after facial laser resurfacing *(Letters)*, 743
dermabrasion vs. CO_2 laser resurfacing for perioral wrinkles (Kitzmiller et al.), 1366. Discussion by Stuzin et al., 1373
laser blepharoplasty with transconjunctival orbicularis muscle/septum tightening and periocular skin resurfacing (Seckel et al.), 1127. Discussion by Roberts, 1142
temporary tarsorrhaphy suture to prevent or treat scleral show and ectropion secondary to laser resurfacing or laser blepharoplasty (Rosenberg), 721. Discussion by Codner, 726
Skull
advances in head and neck reconstruction *(CME)* (Gurtner and Evans), 672
immature vs. mature dura mater: differential expression of genes important to calvarial reossification (Greenwald et al.), 630. Discussion by Maxson, 639
osteogenesis in cranial defects: concept of critical size and expression of TGF-β isoforms (Gosain et al.), 360. Discussion by Hollinger, 372
Smoking, cosmetic surgery and patients who smoke: should we operate? (Rohrich), 137
Soft-tissue defects
facial autologous soft-tissue contouring by adjunction of tissue cocktail injection (Erol), 1375. Discussion by Rohrich and Reagan, 1388
free transfer of expanded parascapular, latissimus dorsi, and expander 'capsule' flap for coverage of large lower-extremity soft-tissue defect (Maghari et al.), 402
frontalis musculocutaneous island flap for coverage of forehead defect *(Letters)*, 1212
long-term complications of facial injections with Restylane (injectable hyaluronic acid) *(Letters)*, 1215
medial plantar flap based distally on lateral plantar artery to cover forefoot skin defect (Oberlin et al.), 874
overgrowth of fat autotransplanted for correction of localized steroid-induced atrophy (Latoni et al.), 1566
reverse ulnar hypothenar flap for finger reconstruction (Omokawa et al.), 828
simple method for forehead unit reconstruction (Okada and Maruyama), 111
soft-tissue reconstruction following debridement for chronic osteomyelitis of lower limb *(Letters)*, 503
Speech outcome
complications and functional results after total glossectomy with microvascular reconstruction (Kimata et al.), 1028
palatal length in cleft palate as predictor of (Randall et al.), 1254. Discussion by Cutting, 1260
second-language acquisition following pharyngeal flap surgery in non–English-speaking immigrants (Borud et al.), 640
Spinal wounds, bipedicle paraspinous muscle flaps for spinal wound closure (Wilhelmi et al.), 1305
Splints
design for postoperative prominent ear retraction *(Letters)*, 219
Guastella/Mantovani septal-valve splint: intranasal biplanar and multivectorial orthopedic device (Mantovani et al.), 475
intranasal Kirschner wire splinting of nasal fractures *(Letters)*, 952
protecting hand splints *(Letters)*, 1220
splint design for postoperative prominent ear retraction *(Letters)*, 219
use of composite auricular graft as internal splint in facially scarred burn patients *(Letters)*, 742
Squamous cell carcinoma, arising within recent burn scar (Love and Breidahl), 1069
Staphylococcal infection, toxic shock syndrome after suction lipectomy (Umeda et al.), 204. Discussion by Mladick, 208
Stereolithography
algorithm of facial aging (Pessa), 479. Discussion by Lambros, 489
ear reconstruction supported by stereolithographic model *(Letters)*, 511
Sternal nonunion, treatment with Dall-Miles cable system (Eich and Heinz), 1075
Stoma bag, use in patient with buttock burn *(Letters)*, 1222
Submandibular gland
microvascular transfer for severe cases of keratoconjunctivitis sicca (Sieg et al.), 554. Discussion by Pflugfelder, 561
microvascular transplantation in rat (Spiegel et al.), 1326
Surgical principles
clamp delay: effective new method of nonsurgical delay (Macionis), 1321
nasal reconstruction based on aesthetic subunits in Orientals (Yotsuyanagi et al.), 36. Discussion by Burget, 45
spear fishing: pearls in repositioning facial soft tissue *(Letters)*, 1427
thoughts on choosing a Z-plasty (Hudson), 665
Sutures, cranial, molecular analysis of isolated rat posterior frontal and sagittal sutures (Spector et al.), 852. Discussion by Rice, 862
Suturing
avoiding teardrop-shaped nipple-areola complex in vertical mammaplasty *(Letters)*, 1217
spear fishing: pearls in repositioning facial soft tissue *(Letters)*, 1427
temporary tarsorrhaphy suture to prevent or treat scleral show and ectropion secondary to laser resurfacing or laser blepharoplasty (Rosenberg), 721. Discussion by Codner, 726
transfixion mattress sutures to stabilize spreader grafts *(Letters)*, 1440
Swallowing, complications and functional results after total glossectomy with microvascular reconstruction (Kimata et al.), 1028

T

Technology, communication in plastic surgery by e-mail (Allert et al.), 660

Temporalis fascia, prefabricated temporalis fascia pedicled flap for previously skin-grafted contracted eye socket (El-Khatib), 571
Temporalis muscle hypertrophy, new plastic surgery procedure (Morselli), 1156
Temporomandibular joint, innovative technique for fixing costochondral grafts *(Letters)*, 1658
Tendons
exogenous growth factors and cytokines in tendon surgery *(Letters)*, 502
extensor tendon: anatomy, injury, and reconstruction *(CME)* (Rockwell et al.), 1592
flexor tendinitis and median nerve compression caused by gout in patient with rheumatoid arthritis (Weinzweig et al.), 1570
'ring' lipoma causing extensor tenosynovitis (Sharma et al.), 1072
tensor fasciae latae perforator flap for reconstruction of composite Achilles tendon defects with skin and vascularized fascia (Deiler et al.), 342
Tensor fasciae latae perforator flap, for reconstruction of composite Achilles tendon defects with skin and vascularized fascia (Deiler et al.), 342
Thigh flaps, anterolateral thigh flap donor-site complications and morbidity (Kimata et al.), 584
Thoracodorsal artery, angular branch of, and its blood supply to the inferior angle of the scapula *(Letters)*, 223
Thumb
finger and thumb reconstruction using transplantation of big toe skin-nail flap combined with second toe or second and third toes (Yu and Huang), 335
repair of collateral ligament injuries of thumb metacarpophalangeal joint (McCall and Roth), 657
Tilt test, patient acceptance of adequately filled breast implants using (Tebbetts), 139. Discussion by Dowden, 148
Tissue adhesives *(Letters)*, 1226
Tissue cocktail injection, facial autologous soft-tissue contouring by adjunction of (Erol), 1375. Discussion by Rohrich and Reagan, 1388
Tissue expansion
abdominal tissue expansion aids in placement of baclofen pump and other implantation devices *(Letters)*, 1437
effect of radiation on skin expansion and skin flap viability in pigs (Dvali et al.), 624
free transfer of expanded parascapular, latissimus dorsi, and expander 'capsule' flap for coverage of large lower-extremity soft-tissue defect (Maghari et al), 402
new technique of scarless expanded forehead flap for reconstructive surgery (Fan), 777
Toes
replantation of great and second toes *(Letters)*, 229
thumb and finger reconstruction using transplantation of big toe skin-nail flap combined with second toe or second and third toes (Yu and Huang), 335
Tongue
complications and functional results after total glossectomy with microvascular reconstruction (Kimata et al.), 1028
treatment of hypoglossia-hypodactyly syndrome without extremity anomalies (Yamada et al.), 274
Toxic shock syndrome, after suction lipectomy (Umeda et al.), 204. Discussion by Mladick, 208
Transforming growth factor-β, osteogenesis in cranial defects: concept of critical size and expression of TGF-β isoforms (Gosain et al.), 360. Discussion by Hollinger, 372
Transplantation
abdominal wall closure after intestinal transplantation (Alexandrides et al.), 805
facial animation in children with Möbius syndrome after segmental gracilis muscle transplant (Zuker and Manktelow), 1. Discussion by Harrison, 9
management of hand and upper-extremity infections in heart transplant recipients (Klein and Chang), 598
microvascular transplantation of rat submandibular gland (Spiegel et al.), 1326
superdry technique for lipoplasty of leg and no-touch technique for autologous fat transplantation *(Letters)*, 738
thumb and finger reconstruction using transplantation of big toe skin-nail flap combined with second toe or second and third toes (Yu and Huang), 335
Transsexuals, secondary corrections of vulva in male-to-female transsexuals (Hage et al.), 350
Transumbilical breast augmentation
dispelling myths and misconceptions about (Dowden), 190. Discussion by Baccari, 195
endoscopic: submammary and subpectoral (Caleel), 1177. Discussion by Dowden, 1183
Transverse rectus abdominis myocutaneous (TRAM) flap
abdominal sensibility after TRAM flap breast reconstruction (Spear et al.), 1300
determinants of patient satisfaction in postmastectomy breast reconstruction (Alderman et al.), 769
fat necrosis in free TRAM and deep inferior epigastric perforator flaps (Kroll), 576
immediate free TRAM reconstruction in lumpectomy and radiation failure patients (Moran et al.), 1527
massage for fat necrosis after *(Letters)*, 1216
postoperative adjuvant irradiation: effects on TRAM flap breast reconstruction (Tran et al.), 313. Discussion by Bostwick, 318
refinements in TRAM flap breast reconstruction: projection and contour improvements (Charanek et al.), 1262. Discussion by May, 1273
salvage of TRAM flaps with compromised venous outflow (Caplin et al.), 400
TRAM delay by embolization of deep inferior epigastric arteries *(Letters)*, 1660
umbilical transposition: an unnecessary step *(Letters)*, 1221
venous congestion and blood flow in free TRAM and deep inferior epigastric perforator flaps (Blondeel et al.), 1295
Trauma
absence of vaginal and urethral orifices after vulvovaginal trauma *(Letters)*, 1435
amputation of middle ray in primary treatment of severe injuries of central hand (Sood and Elliot), 115
bicycle spoke injuries in lower extremity (Mine et al.), 1501
bilateral leg amputation: crossover replantation and fillet flap coverage of stump after ectopic implantation (Kayıkçıoğlu et al.), 868
boomerang flap in managing injuries of dorsum of distal phalanx (Chen et al.), 834
dog bites in New York City (Borud and Friedman), 987
emergency cross-arm transfer (Reagan and Reagan), 648
late reconstruction of two total metacarpal bone defects using lengthening devices and double-barrel osteocutaneous free parascapular flap (Masaki et al.), 102
limb salvage of lower-extremity wounds using free gracilis muscle reconstruction (Redett et al.), 1507
psychological adjustment in children after traumatic disfiguring injuries (Rusch et al.), 1451. Discussion by Pope, 1459
repair of collateral ligament injuries of thumb metacarpophalangeal joint (McCall and Roth), 657
restoration of elbow flexion after brachial plexus injury: role of nerve and muscle transfers *(CME)* (Gutowski and Orenstein), 1348. Discussion by Van Beek, 1359
rice cooker steam hand burn in the pediatric patient (Roh et al.), 76
surgical treatment of brachial plexus injuries in adults (Terzis and Papakonstantinou), 1097 *(CME)*
treatment of finger avulsion injuries with innervated arterialized venous flaps (Takeuchi et al.), 881
a wound after contact between a child and a dog does not necessarily mean an animal bite *(Letters)*, 1227

Tumescence, valuable adjunct for the excision of facial hemangiomas *(Letters)*, 217
Tumors
acute squamous cell carcinoma arising within recent burn scar (Love and Breidahl), 1069
angiogenesis in primary tumor cells of metastatic and nonmetastatic malignant melanoma *(Letters)*, 514
breast cancer following breast reduction surgery in Sweden (Boice et al.), 755
cellular and extracellular markers of hemangiomas (Tan et al.), 529
conservative treatment of early-stage penile melanoma *(Letters)*, 1221
current practice of patient follow-up after potentially curative resection of cutaneous melanoma (Virgo et al.), 590
desmoid tumor of hand *(Letters)*, 954
diffuse microscopic intransit metastases from malignant melanoma of breast *(Letters)*, 513
giant basal cell carcinoma: T3 tumors without metastasis (Manstein et al.), 653
lymphatic mapping and sentinel lymph node basin after sentinel lymph node biopsy for melanoma *(Letters)*, 515
lymphatic mapping and sentinel lymph node biopsy in patients with melanoma of lower extremity *(Letters)*, 734
minimally invasive approach to familial multiple lipomatosis (Ronan and Broderick), 878
preputial neurofibroma with hypospadias *(Letters)*, 957
'ring' lipoma causing extensor tenosynovitis (Sharma et al.), 1072
sideburn reconstruction with arterial V-Y hair-bearing scalp flap after excision of basal cell carcinoma (Davis), 94
tumescence: valuable adjunct for the excision of facial hemangiomas *(Letters)*, 217
Tyrosine phosphorylation, cellular signaling by, in keloid and normal human dermal fibroblasts (Chin et al.), 1532

U

Ulnar nerve, management of cubital tunnel syndrome: meta-analysis (Mowlavi et al.), 327
Ultrasound
color Doppler flow imaging of facial artery and vein (Zhao et al.), 1249
effects of traditional and ultrasonic liposuction on adipose tissue (Grippaudo et al.), 197
external ultrasonic lipoplasty *(Letters)*, 1428
hearing and ultrasound-assisted liposuction: effect on surgeon and patient (Kenkel et al.), 150. Discussion by Roland, 154
Umbilicus
dispelling myths and misconceptions about transumbilical breast augmentation (Dowden), 190. Discussion by Baccari, 195
how to deal with the umbilical stalk during abdominoplasty *(Letters)*, 1220
new microsurgical breast reconstruction using free paraumbilical perforator adiposal flaps (Koshima et al.), 61
transumbilical endoscopic breast augmentation: submammary and subpectoral (Caleel), 1177. Discussion by Dowden, 1183
umbilical transposition: an unnecessary step *(Letters)*, 1221
Unsatisfactory results. *See* Revision procedures
Upper extremity. *See* Extremities; Hand and wrist
Urethra, absence of vaginal and urethral orifices after vulvovaginal trauma *(Letters)*, 1435

V

V-Y advancement flap, combined use of rotation flap and *(Letters)*, 1223
Vagina, absence of vaginal and urethral orifices after vulvovaginal trauma *(Letters)*, 1435
Varicose hand veins, role of sclerotherapy *(Letters)*, 228
Vascular closure staple clip applier, use for microvascular anastomosis in free-flap surgery (Cope et al.), 107
Vascular endothelial growth factor, improved perfusion after subcritical ischemia in muscle flaps treated with (Banbury et al.), 1541
Vasculature
arteriovenous malformation of persistent median artery with bifurcated median nerve (Gutowski et al.), 1336
color Doppler flow imaging of facial artery and vein (Zhao et al.), 1249
combined use of flaps based on subscapular vascular system for unilateral facial deformities (Ugurlu et al.), 1079
cutaneous blood vessels in scent pigs (Zhang et al.), 1555
double internal jugular vein *(Letters)*, 1434
histologic change of arteriovenous malformations of face and scalp after free flap transfer (Tark and Chung), 87
muscle-splitting approach to superior and inferior gluteal vessels (Park), 81
nasal tip blood supply: confirming the safety of the transcolumellar incision in rhinoplasty (Rohrich et al.), 1640
nonanimal model for microsurgical training with adventitial stripping *(Letters)*, 958
role of large superficial veins in distally based flaps of the extremities *(Letters)*, 230
tumescence: valuable adjunct for the excision of facial hemangiomas *(Letters)*, 217
venous congestion and blood flow in free TRAM and deep inferior epigastric perforator flaps (Blondeel et al.), 1295
venous drainage architecture of forearm skin and subcutaneous tissue (Imanishi et al.), 1287
Veins
double internal jugular vein *(Letters)*, 1434
effect of nerve growth factor on nerve regeneration through a vein graft across a gap *(Letters)*, 1227
role of large superficial veins in distally based flaps of the extremities *(Letters)*, 230
role of sclerotherapy in abnormal varicose hand veins *(Letters)*, 228
salvage of TRAM flaps with compromised venous outflow (Caplin et al.), 400
treatment of finger avulsion injuries with innervated arterialized venous flaps (Takeuchi et al.), 881
venous congestion and blood flow in free TRAM and deep inferior epigastric perforator flaps (Blondeel et al.), 1295
venous drainage architecture of forearm skin and subcutaneous tissue (Imanishi et al.), 1287
Velocardiofacial syndrome, Chiari malformation, cervical spine anomalies, and neurologic deficits in (Hultman et al.), 16
Velopharyngeal function, radiographic and aerodynamic measures of velopharyngeal anatomy and function following Furlow Z-plasty (D'Antonio et al.), 539. Discussion by Furlow, 550
Volunteer missions, creating long-term benefits in cleft lip and palate volunteer missions *(Letters)*, 516, 517
Vulva, secondary corrections in male-to-female transsexuals (Hage et al.), 350
Vulvovaginal trauma, absence of vaginal and urethral orifices after *(Letters)*, 1435

W

Websites, Internet: new friend to plastic surgeons *(Letters)*, 235
Wise keyhole patterns, method for developing individualized patterns: aid in reduction mammaplasty for asymmetric breast *(Letters)*, 226
Wound closure
avoiding teardrop-shaped nipple-areola complex in vertical mammaplasty *(Letters)*, 1217
bipedicle paraspinous muscle flaps for spinal wound closure (Wilhelmi et al.), 1305

temporary tarsorrhaphy suture to prevent or treat scleral show and ectropion secondary to laser resurfacing or laser blepharoplasty (Rosenberg), 721. Discussion by Codner, 726
tissue adhesives *(Letters)*, 1226
transfixion mattress sutures to stabilize spreader grafts *(Letters)*, 1440
widening of scars: Millard technique (Wilson), 1488
Wound healing
accelerated healing of full-thickness skin wounds in wet environment (Svensjö et al.), 602. Discussion by Hunt, 613
criss-cross scoring of postburn necrotic tissue *(Letters)*, 510
platelet-derived growth factor as adjunct to surgery for pressure ulcers (Kalliainen et al.), 1243
Wrinkles, dermabrasion vs. CO_2 laser resurfacing for perioral wrinkles (Kitzmiller et al.), 1366. Discussion by Stuzin et al., 1373
Wrist. *See* Hand and wrist

Z

Z-plasty
anterior cervicoplasty in male patient (Gradinger), 1146. Discussion by Biggs, 1155
thoughts on choosing a Z-plasty (Hudson), 665
Zoster, following immediate TRAM flap breast reconstruction *(Letters)*, 1218